




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : G06F 17/24		A1	(11) International Publication Number: WO 99/63454
			(43) International Publication Date: 9 December 1999 (09.12.99)
(21) International Application Number: PCT/US99/12539 (22) International Filing Date: 4 June 1999 (04.06.99) (30) Priority Data: 60/088,123 4 June 1998 (04.06.98) US Not furnished 3 June 1999 (03.06.99) US (71) Applicant: COLLEGENET, INC. [US/US]; Suite 100, One S.W. Columbia, Portland, OR 97258 (US). (72) Inventors: HITCHCOCK, Michael, D.; Suite 100, One S.W. Columbia, Portland, OR 97258 (US). WOLFSTON, James, H., Jr.; Suite 100, One S.W. Columbia, Portland, OR 97258 (US). STEDMAN, John, W.; 16999 S.W. Siler Ridge Lane, Beaverton, OR 97007 (US). HERTZ, Andree, J.; 16181 N.W. Jocelyn Road, Beaverton, OR 97006 (US). PRICE, Raymond, L.; Suite 100, One S.W. Columbia, Portland, OR 97258 (US). (74) Agent: CARSON, M., John; Fulbright & Jaworski L.L.P., 29th floor, 865 South Figueroa Street, Los Angeles, CA 90017-2576 (US).			(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i>

(54) Title: UNIVERSAL FORMS ENGINE



(57) Abstract

A forms engine allows data sharing between customizable on-line forms, such as college admissions applications. Before applying, an applicant opens an account with a third party application servicer. After the applicant completes an application for one institution, the data is saved in a data base and automatically populates fields in subsequent application forms. The form for each institution is created from a form description file. Each form is branded for its institution and forms for different institutions differ in appearance and content so that the presence of the third party servicer is transparent to the applicant. The system is extensible without programming, allowing new applicant attributes to be readily incorporated into the system and allowing the content and appearance of the application to be readily changed by changing the description file. The use of aliases for applicant attributes permits data to be readily shared between forms even though labelled and arranged differently on different forms. Information stored about each attribute allows the specification of data validation rules and data sharing and grouping rules, as well as dependency rules that permit application page content to depend on applicant's responses on a previous page.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

Title: UNIVERSAL FORMS ENGINE

SPECIFICATION

Related Applications

- 5 This application claims priority for U.S. Provisional Patent application
No. 60/088,123, filed June 4, 1998.

Field of the Invention

- This invention relates to a computer implemented method and apparatus for
processing forms and, in particular, to a method and apparatus for processing
10 customizable application forms that share information from an extensible database.

Background of the Invention

- The processing of college admission application forms described below is
illustrative of the current state of forms processing. Students applying to colleges and
universities typically complete a separate paper application for each institution to
15 which they seek admission. Each application is then mailed to the corresponding
institution along with an application fee.

- Many institutions would like to simplify the application process by allowing
students to apply over the Internet. Although an Internet application allows an
institution to process the application information electronically, a student is required
20 to re-enter the same information for each subsequent application to a different
institution or to the same institution for a different academic term. Moreover, if the
institution wishes to change the application form, the institution must typically revise
the source code that creates the application form, thereby making changes to the
application form expensive and inconvenient.

- 25 One could reduce redundancy in the application process by allowing students
to complete a single, generic application provided by a third party who would then
transmit the application to any designated institution. Such systems, however, would

-2-

make it impossible for institutions to customize their applications form. In an environment where schools are competing for top students, the image that a school projects to potential students is important, and a customized application can help project the image that the school wishes to create. The questions that a school asks
5 on its application reflect the values of the institution. Many schools want information different from that which would be on a generic form. Thus, it is unacceptable to many institutions to use a generic application form.

Most institutions continue, therefore, to use primarily paper applications or their own on-line applications, with the disadvantages described above. Moreover,
10 the institution must then process the application fee for on-line applications, which may require that the institution have some expertise in electronic commerce.

Summary of the Invention

Accordingly, it is an object of the present invention to provide an improved method of processing forms.

15 It is yet another object of the present invention to provide such a method that allows data sharing between customizable forms, the customization including branding of forms to specific institutions.

It is yet a further object of the invention to provide such a method that uses an extensible data-sharing database.

20 It is still another object of the present invention to provide an improved method of processing admissions applications.

The present invention comprises a universal forms engine that permits the creation and processing of customizable electronic forms and selective sharing of information between the customized forms. A user thus enters data only once, and
25 the data is shared through an extensible database between disparate forms. The forms are completed by a user over a computer network and information from each completed form is forwarded to the appropriate entity over a computer network. The ability of the forms engine to present a form for user input, to receive data from the user, and to provide the data to the appropriate entity is independent of the computing

-3-

platform of the user and the entity. Any fees associated with the forms can be processed electronically over a computer network together with the forms.

The invention thus creates forms, parses data on forms, stores data, retrieves the data, and deploys the data onto other forms. As additional forms are completed
5 and additional information becomes part of the database, the amount of information that must be manually entered on new forms decreases because the new forms are automatically populated with the previously entered data.

A form is considered to be essentially a container for data and implies an associated process. The forms engine integrates the form, the data, and the
10 processing regardless of the appearance of the form, the type or significance of the data, and the processing that follows collection of the data.

Metadata, that is, information that characterizes the applicant data is also stored. For example, in one embodiment, an attribute table describes characteristics, such as permissible values and accessibility to various institution personnel, of
15 applicant attribute data. In another embodiment, such properties of the applicant attributes are stored in XML files. Storing metadata provides greater control over the data validation, sharing between forms, grouping, and access.

User information and application information are abstracted from the coding, that is, the user information and application information is stored in a way that allows
20 the application information and the user information to be changed without reprogramming. This abstraction allows the set of user data to be extended without reprogramming, allows the user data to be displayed in different formats in different applications, allows the data to be validated to ensure that it can be used by the institutions, and eases access to the information over the Web by institutions.
25 Abstracting the application information allows the application itself to readily changed, and allows changes, such as changes to application dates, to be made by the institutions themselves. The abstracted information is saved, for example, in a relational database or in an XML file.

The subject matter of the present invention is particularly pointed out and
30 distinctly claimed in the concluding portion of this specification. However, both the

-4-

organization and method of operation, together with further advantages and objects thereof, may best be understood by reference to the following description taken in connection with accompanying drawings wherein like reference characters refer to like elements.

5

Brief Description of the Drawings

FIG. 1 shows a network through which applicants, a servicer, and institutions are connected in a preferred embodiment of the invention

FIG. 2 shows an entry web page presented to an applicant of FIG. 1

FIG. 3 shows a web page showing the results of an on-line college search that
10 provided the link to the entry web page of FIG. 2.

FIG. 4 shows a web page for creating a new account with the servicer of FIG.
1

FIG. 5 is a diagram showing schematically how accounts are created in a preferred embodiment of the present invention.

15 Figs. 6a- 6d show a web page used to supply directions and information to the applicant of FIG. 1.

FIG. 7 shows an applications options page that provides the applicant with links to an application instruction page,

Figs. 8a-8d shows an application instruction page for an on-line application.

20 FIG. 9a-9c shows the first page of an on-line admissions application

FIG. 10a-10c shows the second page of an on-line admissions application

FIG. 11a and 11b shows the third page of an on-line admissions application

FIG. 12a-12d shows the fourth page of an on-line admissions application

FIG. 13 is a diagram showing schematically the interactions between the
25 applicant, the forms engine and the applicant database during initial access of an application form.

FIG. 14 is a diagram showing schematically the interactions between the applicant, the forms engine and the applicant database as data is posted from an application form.

FIG. 15 shows a flowchart of the interactions shown in FIGS. 13 and 14.

FIG. 16 shows the steps that occur in a preferred embodiment when an applicant contacts the forms engine.

FIG. 17 shows the “back-end” states available during application processing.

5 FIG. 18 is a simplified example of classes used in an object-oriented programming implementation of the invention.

Detailed Description

The system according to a preferred embodiment of the present invention comprises a forms engine that processes applications for admission to institutions.

10 The preferred embodiment, which is operated by a third party application servicer, uses relational databases for storing information and communicates with applicants and institutions over the World Wide Web. The invention is not limited, however, to the processing of any particular type of form or to the use of any particular network or database.

15 Overview of a Preferred Embodiment

FIG. 1 shows multiple applicant computers 14 that communicate with a server 16 through the portion of the Internet 18 known as the World Wide Web (the Web). A typical applicant computer 14 comprises a personal computer, such as a Pentium-based personal computer using a Windows-based operating system and running a commercially available Web Browser, such as Netscape Navigator or Internet Explorer. In a preferred embodiment, applicant computers 14 can use an older, text-based browser, because processing, such as error checking, is performed at server 16, rather than at the client browser.

Server 16 is a computer, such as a Sun Solaris UltraSparc Server, that is
25 executing a forms engine of the present invention, as well as Web server software
that coordinates communications with visitors to the form engine Web site.
Information and forms transferred from server 16 are typically formatted in a
hypertext mark-up language (HTML) and can include text, programs, graphics, video,

-6-

and audio portions. Server 16 is preferably operated by a third party application servicer 24 and is connected to secure data storage 26. Multiple institution computer 28, operated by institutions, such as colleges or universities that require admissions applications, also communicates with server 16 over the Internet 18.

5 Although the preferred embodiment of the invention is implemented using an Internet Web site, the invention is not limited to any particular type of computer or computer network. By making the applications available over the Web, any applicant with a Web browser can apply electronically. On-line application also allows the application fee to be processed on-line, so that credit card settlements, electronic
10 bank withdrawals, and other payment methods can be performed more efficiently, and the settlement can be easily facilitated by the third party that operates the application forms engine to which multiple institutions subscribe.

FIG. 2 shows an entry page 36 that is presented to an applicant who has accessed server 16 of FIG. 1. In a preferred embodiment, entry page 36, as well as all
15 other pages presented to the applicant, is presented as an HTML page. Pages on which the applicant enters information use the HTML <FORM> tag. The HTML form posts information to server 16, which executes a common gateway interface (CGI) program specified by the form to process the received information. The CGI program is preferably written in Perl, C, C++, Java, or another language that supports
20 CGI. The CGI program accesses a database that includes information about the customized application form and about the applicant. The database is preferably a relational database that is accessed using a structured query language through a database management system, such as Informix®, by Informix Software, Inc., based in Menlo Park, California. The invention is not limited to a particular
25 implementation technology. The implementation details of the invention are expected to change as computer technology evolves.

Entry page 36 can be accessed from, and can be in the same style as, an institution's own world wide web site. Entry page 36 can also be accessed from other links, for example, by a link 38 (FIG. 3) on a results web page 40 from an on-line
30 college search, such as the CollegeNET™ System, operated by the assignee of the

-7-

present invention. Entry page 36 is branded with a logotype 42 branding the application as belonging to the institution to which it is directed, although the application is preferably hosted by a third party to ease data sharing across institutions and electronic processing of application fees.

5 Before accessing an application from entry page 36, each applicant is required to have an account with the third party servicer 24. Entry page 36 includes a link 52 for creating a new account. FIG. 4 shows a web page form 54 that is presented to the applicant to create a new account. Although the account is with third party servicer 24 and can be used to apply to many institutions, web page form 54 is branded with
10 the logotype 42 of the institution to which the applicant is applying. Thus, it is transparent to the applicant that the application is being processed by third party servicer 24.

FIG. 5 shows schematically the actions that comprise the account creation process 56 required to create an account. The applicant uses a web client 58, such as
15 Netscape Navigator, to enter personal information, such as name, address, e-mail address, and a user name and password for accessing the system. The password is encrypted and saved, along with the user name, in a password database 60 connected with server 16 (FIG. 1) and user information is saved in an applicant database 62, which databases comprise database 26.

20 Entry page 36 (FIG. 2) also provides an information link 68 to provide the application with directions and information. FIGS. 6a-6d show a preferred information web page 70 that is returned to the user in response to a request for information. Web page 70 is also branded with logotype 42 indicating the institution to which the application is directed. Web page 70 includes an application option
25 page link 72 (FIG. 6d) to the actual application, as does entry page 36. Entry page also includes a link 74 to the user's personal log page. The personal log describes the status of all applications the user has worked on, including applications that have been submitted and applications that are in various stages of completion. Entry page 36 also includes a link 76 for changing a user's password.

30 FIG. 7 shows an applications options page 82 that provides an application

-8-

instruction page link 84, an application link 86, and links 92 to supplemental forms, such as a counselor's report or teacher recommendation forms, that accompany an application. FIGS. 8a-8d shows application instructions 94 reached from application link 86.

5 FIGS. 9a-9c show the first page of an electronic, on-line admissions application 96 that is customized in content and appearance for a particular institution. As shown in FIG. 9a, each application is individually "branded," that is, it carries the name and logotype 42 of the institution and appears in a style that is representative of the institution. Thus, it is transparent to the applicant that a third
10 party is servicing the application, that is, the applicant may not even be aware that the application is processed by a third party servicer. In accordance with the invention, the third party servicer provides customized forms for each participating institution, and data is shared between the customized applications. Information that had
15 previously been entered in connection with prior applications to any institution is automatically inserted into the customized form. Information entered by the applicant onto the application form is stored in an applicant database for automatic insertion into subsequent applications by that applicant. The HTML source code for page 1 is attached in Appendix 1. FIGS. 10a-10c, FIGS. 11a-11b, and FIGS. 12a-12d show additional pages of application 96.

20 FIG. 13 shows schematically the interrelationship when supplying a form pages to an applicant between a forms engine 104 of the present invention, applicant database 62, password database 60, and web browser client 58 running on applicant computer 14. FIG. 13 shows that forms engine 104, preferably implemented as a CGI program, performs four primary functions. When the applicant requests an
25 application form for a particular institution and the request is authenticated by comparing the password with the password in the password database 60, forms engine 104 retrieves user information regarding the status of applications that are pending or completed.

 Forms engine 104 then generates a customized application form based upon
30 an application description in an application data file 108. Forms engine 104 then

-9-

retrieves user data that was entered in previous applications and stored in the applicant database 62, and merges the user data into the current application, which is then returned to the applicant as an HTML form. The applicant then enters any requested information that was not automatically inserted from the database.

5 Application 96 includes fields for the applicant to enter the specific information the institution requests of its applicants. The information is requested in a format chosen by the institution. The style and content of the customized application expresses the values held by the institution. The customized content of each application allows the school to obtain specific information that it chooses to
10 characterize its applicant pool, including factors that it believes may correlate with student success at the particular institution.

FIG. 14 shows schematically the interactions between forms engine 104, applicant database 62, and web client 58 with respect to forms engine 104 receiving data posted from the applicant. Forms engine 104 performs a "front-end" validation
15 on the posted data 118. Data validation is explained in detail below. If the data fail validation, a data correction page is sent to the applicant. If the data pass first stage validation, the next application page is prepared by merging applicant information from the applicant database 62 with form information in application data file 108 and sending the resulting HTML application page to the applicant.

20 After all the pages have passed first stage validation and the applicant attempts to submit the completed application to the institution, a second stage validation is performed. If the second stage validation is successful, user data 120 is written to the applicant database 62 and payment scripts 122 are executed in which the user is given an option to select any one of several of on-line payment methods.
25 Credit card information is verified from a credit card database 124. After the information on the application is validated, it is transferred to the institution in a data format specified by the institution. The information is also stored for use in subsequent applications in an applicant database 62, which is independent of the institution.

30 FIG. 15 is a flowchart showing the products at each step of processing by

-10-

forms engine 104 described in FIGS. 13 and 14. Optional steps are shown in dashed lines. FIG. 15 shows that an applicant 126 contacts forms engine 104 by a browser request for an application. Before presenting an application page to an applicant, forms engine 104 determines the state of the application process, and only presents
5 appropriate pages to the applicant. For example, most institutions have application date windows during which applications, whether electronic or paper, for a particular term are accepted. The forms engine verifies that the application is being submitted within the allowed window. Unlike pre-printed paper applications, however, the invention provides the schools the flexibility of easily changing the application date
10 window, so that the time to apply can be extended if the institution wants to receive additional applications.

Forms engine 104 uses data from the appropriate application data file 108 (FIG. 14) and previously entered user data to generate a page of a form 128. Data 130 is entered on the form page, by the applicant or from the database, and the
15 page undergoes a first stage data validation 136 upon being posted by the applicant. A correction page form is submitted to the applicant each time a data validation fails, and the data is saved to the database upon successful validation. The process is repeated for additional pages until the form is completed and the applicant submits the form.

20 When the applicant indicates that the application is ready to be submitted to the institution, a final, more thorough validation 136, known as second stage validation, is performed on the data. Second stage validation ensures that information required by the specific institution to which the application is directed is present and that the information meets certain content criteria specified by the
25 institution. The data validation is customized for each institution. If the application fails second stage validation, a data correction page is returned to the applicant. The validated, submittable data 140 is stored in applicant database 62 in connection with the application. The data is then processed and transformed 142 as described below in connection with aliases, and saved for use in other forms that the applicant may
30 complete in the future. A payment 148 is then processed and application transaction

-11-

processing 150 is completed. The forms engine then converts the application information into a form compatible with the institution's internal databases and delivers the information 152 to the institution's database 154.

When the applicant subsequently applies to a different institution or to a different program within the same institution, a new application, customized for the different institution, is presented to the applicant. Information that was entered onto previously submitted applications is retrieved from the database and presented to the applicant as populated fields of the new application, so that the applicant is not required to enter information more than once. The applicant can change the values in a pre-populated field if desired and the new values are saved for use in subsequent applications.

As described in more detail below, information about the applicants is maintained as a set of attributes, each attribute corresponding to database fields. If an institution chooses to include in its application a request for an applicant attribute that does not correspond to one included in the database, the database is easily extended to include the new applicant attributes without reprogramming the forms engine. Once the new attribute is added to the database, it is available for automatic inclusion in all subsequent applications.

In the preferred embodiment, each attribute used to characterize applicants has a unique identifier or alias. The unique identifier allows the engine to recognize when the same information is being described by different labels or entered in a different format on different application forms. The information can then be saved properly and inserted into subsequent applications, regardless of differences in the entry format and labels in the first and subsequent applications. Thus, the variables can be universal and unique data elements having different names can be shared among applications.

For example, one institution on its application may refer an applicants last name as a "family name" while another institution may refer to the last name as "surname" or a "last name," yet the forms engine would share the data properly between such application forms. As another example, if a first application form

-12-

requests multiple choice-type information in the form of radio buttons and the second form requests the same information in the form of a pull-down menu, information entered on the first form in the radio buttons would appear in a pull-down menu box on the second form.

- 5 While providing the institution flexibility to designate and request the information any way it chooses on its customized application, the information is retrievable onto subsequent applications regardless of how the subsequent applications label or display the information. The forms engine of the present invention can thus share information across applications, regardless of how the
- 10 information is expressed in a particular application, unless the data has been designated as described below as private to a particular application and not shareable.

- Each applicant attribute is characterized by one or more properties. The properties that characterize an applicants' attributes can specify, for example, whether and under what conditions the attribute data can be shared between forms, whether
- 15 the attribute is a universally required field, or whether the attribute is specific to a particular geographic region. For example, an attribute named "California Driver License Number" is applicable only to institutions in California. Other information may be applicable to all institutions within a region but not to other institutions. Some applicant attributes are applicable only to institutions in a particular school
- 20 system. Individual pieces of information can also be grouped and properties can be specified for the groups. The application can also include information that designates the routing of the information to groups, such as financial aid officers, within the institution.

- The invention not only allows an application to be customized for each
- 25 institution, it allows the information submitted by the applicant to be transmitted to each institution in any data format that the institution requests so the institution is not required to convert the data to a useable format. For example, multiple fields, such as first name and last name, may be combined into a single field, and the data fields may be delimited by a delimiter specified by the institution. Data may also be
- 30 transmitted to the institution, for example, as name-value pairs, as fixed records, in

-13-

EDI, or printable PDF format. Thus, the applicant information is entered in a customizable form on a browser running on any type of computer platform and stored at third party servicer 24 in a database. The information in the database is then reloadable into another customizable application form for a different institution. The information is also transmittable to an institution in its preferred format regardless of the platform used by the institution to process the information. After an application is sent to an institution, the information remains available in the database of the third party servicer for further analysis by the institution. The institution can, for example, sort or view applicants based upon attributes such as test scores, grade point average, participation in sports, or musical talent. Moreover, each applicant attribute has a property that can be used to specify who in the institution has access to the attribute for the purpose of uploading the information or of processing the information to characterize the applicant pool. For example, parts of an application dealing with academic background may be viewable by academic departments, whereas more personal information may be viewable only by school administrators.

A preferred implementation of the invention comprises a single forms engine program, a single applicant database, including information on all applicants, and one application data file for each different application of each the participating institutions. The application data file describes the format of each application, and the forms engine displays information from the database in the format prescribed by the application data file.

The applicant database can be extended to include new attributes without making any changes to the forms engine program or to the application files of institutions that chose not to include the new data. The forms engine automatically uses the application data file to produce the requested application in HTML format for display on the applicant's browser. The application description file can be easily modified, for example, to change labels or to add additional fields. The appearance of the application for each institution can be changed by changing its application description file, without reprogramming the forms engine. The completed application is transmitted to the institution with the data in any format that the

-14-

institution prefers. The institution can therefore upload the data directly into its applicant or student information system database, merging the information seamlessly into their existing work flow, thereby avoiding the additional expense and errors of re-keyboarding the information. The forms engine thus has the capability of
5 outputting application information universally across platforms.

A transactions database table and a transactions operations table track completed transactions and operations to assist the engine in maintaining information about the state of each application, so that only appropriate pages are presented to the applicant. These tables also allow the applicant to track the progress of his or her
10 applications and online payment.

Database Structure

The tables described below are used in a preferred college admission forms processing system. The invention can be used for processing many different types of forms without departing from the scope of the invention, and skilled persons will
15 recognize that different database structures will be required in different applications.

Attribute Table

A first database table, the Attribute Table, includes a list of all attributes that can be used to describe an applicant. The Attribute Table thus defines the variable space for the entire system. Each attribute, such as Name, Social Security Number,
20 and SAT score, is represented by one row of the Attribute Table and is identified by a unique Attribute Identification Number. The Attribute Table includes properties of each attribute, such as whether the attribute is a required field for first stage validation (explained below) and whether the attribute is part of a data group, such as a geographical region or an institutional group. The Attribute Table also includes
25 references to first stage validation rules, if any, for each attributes. The Attribute Table does not include values of the attribute for any particular applicant.

User Attribute Table

-15-

The values assigned to attributes for individual applicants are stored in a User Attributes Table. Each row of the table includes a User Identification, an Attribute Identification Number, a sequence for the Attribute Identification Number, and a data value. When an applicant enters information on an application page on the Web and posts the form to the server, the information entered by the applicant is stored in the User Attribute Table after first stage validation. The form is posted when the applicant switches to another page or when the applicant indicates that the information is to be saved. An applicant may change the values of an attribute from one application to another. For example, an applicant may change his or her SAT scores to reflect new test results.

The User Attribute Table always includes the latest information that an applicant had entered and is used to supply information for new applications. When the user calls up an application to complete, data is read from the User Attribute Table. When a new application includes attributes that were not requested by any application that the user previously completed, a new row corresponding to the new attribute is inserted into the User Attribute Table. Preferably a single User Attribute Table includes the attribute information on all applicants in the systems.

User Attribute Sent Table

After an application is completed and it passes second stage validation, the information contained in the application is stored in a User Attributes Sent Table, which represents a snapshot of the submitted application. The structure of the User Attribute Sent Table is very similar to that of the User Attribute Table. The primary key of the User Attribute Table is a user identifier (the users log-on name), whereas the primary key of the User Attribute Sent Table is a Transaction Identifier, which identifies a unique combination of user, application, and application term. Thus, there can be multiple records for a single user in the User Attribute Sent Table if the user has submitted multiple applications or the same application for different application terms.

The Transaction Identifier is the same identifier used in the Transactions

-16-

Table, described below. Thus, one can scan the Transactions Table for Transaction Identifiers that correspond to applications that are shown as having been submitted, and then use those identifiers to look up data related to those applications in the User Attribute Sent table.

- 5 Second stage validation is performed before writing a record into the User Attribute Sent Table and may, for example, combine fields such as last name and first name into a single field. Thus, the User Attribute Sent table shows exactly what was sent to the institution, and therefore includes a record for each application that was completed by a user. To review what data was sent, the institution reviews
- 10 information derived from the records in the User Attribute Sent Table, which are then put into a format requested by the institution.

Applications Table

- Each customized application is represented within an Applications Table, which defines the data set for each application. Each row in the Applications Table
- 15 pertains to one attribute in a specific application and includes information such as an Application Identification Number, Attribute Identification Number, Attribute Sequence Number within the application, any second stage validation rules (described below), the Identification Number of the institution to which the application belongs, etc.

20 *Application Data File*

- The Application Data File is a specially formatted text file that acts as an application description. It is a series of "directives" and optional arguments which the forms engine parses to build the HTML form and to merge in user data. The directives are interpreted by means of a look-up in a data structure that stores the
- 25 directive interpretations. For example, a line in the Application Data File may be "SS_NUM." Upon encountering the line, the forms engine will look into a data structure to interpret SS_NUM. SS_NUM may mean, for example, to display a text box with a label that reads "Enter Your Social Security Number" and to put the

-17-

previously supplied value for social security number (stored in the User Attribute Table) into the text box. SS_NUM may also prescribe a minimum length, maximum length, and call a function that creates the text input box. The directive could also set flags that indicate a particular state for the application. The Application Data File can optionally supply arguments to directives. Arguments may, for example, instruct the forms engine to apply specific labels or to override default values, so that the label or format for entering the data can be customized. The information in the Application Data File could alternatively be included in the Applications Table.

In an alternative embodiment, rather than having the application information stored as directives and building the application whenever a student invokes it on-line, the application is built by a pre-processor utility that is run once to produce an "application template" with a regularized syntax. In other words, an Application Data File entry such as "SS_NUM" is replaced by a template line such as "SS_NUM|ITEXT|Social Security Number: |1|1|1".

In the previously described embodiment, the Application Data File lines represent function calls with optional arguments. The forms engine executes these function calls, which in turn execute a form-element-producing function like "ITEXT" which produces a text box. Thus, the forms engine not only needs to have available hundreds of functions, it also has to do two (or more) layers of function execution for each line in the Application Data File.

In the alternative embodiment, most of this processing is performed off-line during the application development phase, and the results of the processing is saved in the template file. The on-line forms engine then pulls in this "pre-digested" template file. Each line of the template file is a pipe ("|") separated list of: (1) variable name; (2) form element [for example, form element ITEXT is textbox, IRADIO is radio button(s), etc.]; (3) question label; and (4) arguments needed by the form element function.

Whereas the forms engine in the first embodiment is analogous to an interpreter, executing a shell script, the template in the second embodiment is analogous to compiled code. The pre-processing is analogous to a compilation phase,

-18-

and the output template file is analogous to a binary object. It is composed of instructions to the engine, like compiled code is composed of instructions to the CPU, whereas the bulk of the forms engine in the first embodiment comprises code to do the interpretation, the forms engine in the second embodiment has a very small
 5 instruction set: basically one instruction per form element, plus a handful of special instructions.

The template file gives the application developer absolute freedom to quickly update the application with no need to rewrite or add program code to the forms engine. Use of templates also dramatically reduces the number of functions needed
 10 by the engine, as well as the execution overhead.

The template file can be in the form of specially tagged HTML; that is, instead of a line-by-line set of directives, the template can look like HTML with embedded special tags representing the form element/variable/value to interpolate.

Below is an example, simplified for clarity, of a part of a template represented
 15 in a specially tagged HTML:—

```

<H1>Biographical Information</H1>
  <OL>
    <LI>
      <QUESTION ATTR_ID="53" ARGS="SS_NUM|ITEXT|11|11"
20      VALRULE="Req();Int(- ,);Len(9)">Please
        enter your Social Security Number:
      </QUESTION>
    </LI>
    <LI>
25    <QUESTION ATTR_ID="106" ARGS="BIRTH_DATE|DATEMDY"
      VALRULE="Req()">Please enter your birth
        date (MMDDYY):
      </QUESTION>
    </LI>
  
```

-19-

To process the template, the forms engine need only look for <QUESTION> ...
 </QUESTION> sections and parse them. Many other pieces of logic could also be
 embedded into the templates. The output of the processed template is an HTML form
 5 that is viewable by the student completing the application. The output from the
 above template snippet could look like this, with the special QUESTION tags
 converted into HTML form elements and user data incorporated:

<H1>Biographical Information</H1>

10

Please enter your Social Security Number:

<INPUT TYPE="TEXT" NAME="SS_NUM"

VALUE="200-00-0000" SIZE=11 MAXLENGTH=11>

</INPUT>

15

Please enter your birth date (MMDDYY):

<NOBR><INPUT TYPE="TEXT" NAME="mdy1__BIRTH_DATE"

VALUE="09" SIZE=2 MAXLENGTH=2></INPUT>

20 <INPUT TYPE="TEXT" NAME="mdy2__BIRTH_DATE"

VALUE="17" SIZE=2 MAXLENGTH=2></INPUT>

<INPUT TYPE="TEXT" NAME="mdy3__BIRTH_DATE"

VALUE="1966" SIZE=4 MAXLENGTH=4></INPUT>

</NOBR>

25

The above page is then transferred to the user.

Institutions Table

The Institutions Table includes a row for each institution. Each row includes an Institution Identifier, an Institution Name, an identifier for a parent institution if any, and other information about the institution.

- 5 Institutions can also be arranged in a hierarchy, with one institution belonging to another institution. The Institutions Table allows the construction of an arbitrary hierarchy of institutions, which can be used to control data access. Information in the Contact Table (described below) and Attribute Table is combined with information in the Institutions Table to determine access to particular attributes in applications. For
10 example, a financial aid officer in the medical school of a university may have access only to financial information on the medical school application, whereas a financial aid officer of the university or of the university system may have access to financial information on all applications. Thus, the invention permits flexible control of data down to the attribute level.

- 15 Institutions can be grouped geographically or by other characteristics. The Institutions Table can have fields indicating to which groups the institution belongs. Thus, the forms engine can control attributes that are relevant only to institutions in a particular group.

Contact Table

- 20 The Contact Table specifies the database access privileges of people within an institution. For example, an administrator at a state university system may have access rights to data from applications to all universities within the system, whereas an administrator at a particular school may have access only to applications to that school.

- 25 Each row in the Contact Table includes a unique Contact Identifier, an Institutional Identifier, which defines the institution or group of institutions to which access is granted, and the operations which the contact is permitted. For example, a contact may be granted rights to acknowledge receipt of an application, to transfer

-21-

application data using a file transfer protocol (FTP), or to receive a printable, non-editable version of completed application.

The Contact Table can also contain additional useful information, such as the e-mail address or last log-in time for the contact.

5 *Terms Table*

The Terms Table indicates the application terms that are currently available. Each row of the Terms Table includes a unique Term Identifier, a Term Key, the start and expiration dates for applications to the institution for the term, a text description of the term, and an institution-defined Term Code. The institution-defined Term

10 Code is used when data is uploaded to the institution so that the data is seamlessly loadable into the institution's information system. The Institution- Application Table described below defines the applications available for each institution and includes a term key field that identifies the terms for which the application can be used.

Institution-Application Table

15 One institution, represented by a row in the Institutions Table, can own several applications, each of which is represented by a row in the Institution-Application Table. For example, an institution may have one application for freshman undergraduate students, another for transfer undergraduate students, yet another for international students, etc.

20 The Institution-Application Table includes one row for each application owned by an institution and relates the information in the Applications Tables to the Institution described in the Institutions Table. Each row in the Institution-Application Table includes an Application Identifier, an Institution Identifier, status of the application, type of the application, and information pertinent to the particular

25 application (i.e., name campus, etc.). Each row also includes a Term Key, which is used with the Term Table to determine which terms are currently available for applying using the application. The Institution-Application Table can also include

-22-

information about the application processing fee and how the fee is allocated between the institution and the processor.

Transaction Operations Table

Each time an applicant performs an operation, such as saving a page of
5 information, the operation is assigned a unique Operation Identification Number and
a new row is added to the Transaction Operations Table. Each row of the
Transaction Operations Table includes the unique Operation Identifier, a Transaction
Identifier (described below with the Transaction Table), a code indicating which
operation the row represents, a contact identifier, and a time stamp indicating the date
10 and time of the operation. Operations include, for example, save, save and send,
acknowledge, secure credit card, no fee, void, and view printable application.

The Transaction Operations Table and the Transaction Table described below
are used to maintain state information.

Transaction Table

15 A Transactions Table includes information about each user transaction, that
is, each application that a user has accessed and saved. Each entry in the Transaction
Table includes a unique Transaction Identifier, a User Identifier, an Application
Identifier, a Term Identifier, and a code indicating the state of the application. The
Transaction Identifier represents a unique combination of User Identifier, Application
20 Identifier, and Application Term. There is exactly one row in the Transaction Table
for each Transaction Identifier. The application state can be, for example, 'in
progress', 'submitted', 'payment received', and 'acknowledged by the institution,'
etc. Each entry also includes an order identifier, a text string that includes the User
Identifier, the Application Identifier and a time stamp. The Order Identifier is used
25 for credit card settlement and in correspondence with the institution.

When a user accesses an application, the universal forms engine looks for an
existing transaction involving the user and the requested application and term. If
such a transaction exists, the response of the forms engine to the user depends upon

-23-

the state of the transaction. If no such transaction exist, (i.e., this is the first access to this application by the user) a new transaction is begun. An new entry is inserted in the Transaction Table. A Transaction Identifier is assigned when the user requests an explicit save operation or a "save and send" operation for the new application. A

- 5 Transaction Identifier is not assigned merely on the basis of a page flip on a multipage form.

- Once the user selects the "Save, Pay and Send" button, the Term, Term Identifier and Order Identifier fields are populated, and the state is set to indicated the application has been submitted. Upon payment, a Payment Operation field is
- 10 populated with the Operation Identifier for the payment operation, and the state is set to indicate that payment has been received. This continues as the transaction travels through settlement, acknowledgment, etc.

Applicant Pages

- Applicant pages are those presented to the applicant. These include actual
- 15 application pages generated by the forms engine and displayed with labels identifying the requested information and suitable form data entry elements for applicants to input the requested information. Applications are typically composed of multiple pages.

- Another applicant page shows the applicant the status of all applications the
- 20 applicant has worked on. This page is produced by a CGI utility that examines the tables described above and produces an HTML page showing whether each application has been completed, saved, submitted, or paid and whether it has been acknowledged by the school.

- Correction pages are presented to the applicant when first or second stage
- 25 validation described below detects missing or incorrect data.

Other pages include those that inform the user when no terms are available for accepting applications (that is, the current date is outside the submission windows) or when a requested application has already been submitted for the requested term.

Data Validation

The presence and content of the information is preferably checked at the server, rather than by the browser on the applicant's computer. This reduces the requirements for the browser, so that the applicant is not restricted to using the latest
5 version of a browser and, as less computation is performed by the browser itself, compatibility problems are reduced. An applicant can use a character based browser, such as Lynx, if he chooses. When information is recalled from the database for insertion into a new application, it is checked against the content requirements of the institution. If the recalled data does not meet the criteria, the information is requested
10 again from the applicant.

Data validation is performed in two stages. Data is saved both before and after each stage of validation. The first stage consists of checks that are universal to all applications. These checks are done every time a page is submitted, such as when a subsequent page is requested or when a page is saved. For example, first stage
15 validation may check that the applicant's name is present, that SAT scores are between be 200-800, and that once the non-digit characters are stripped out of social security numbers, a sequence of nine digits not beginning with "9" or "000" remains.

To avoid presenting the applicant with an overwhelming number of fields that fail validation rules at the end of the entire application, it is preferable to validate as
20 many fields as possible in the first stage validation. On the other hand, the number of required fields is preferably minimized in the first stage, because an applicant may want to partially complete an application during one session and complete the remaining fields at another time.

Second stage validation is performed when an application is being submitted
25 to an institution and the entire form must be complete. The second stage typically includes more required fields and more specific validation rules for submitted data fields. Second stage validation is performed on the entire data set for the application and validates the information in accordance with rules specified by the institution for the particular application. First, institution specific required fields are verified. For
30 example, because some institutions may be willing to process an application with the

-25-

field Hobbies left blank, this field is not required in first stage validation. If an institution does require this field to be complete, an incomplete field will be flagged during second stage validation. After second stage validation is successfully completed, the data is ready to be uploaded to the institution.

5 The Application Table indicates which fields are required for the particular application. The Application Table also indicates certain data validation rules, such as permissible values or formats for data. The second stage validation can reformat the data into a format requested by the institution. For example, some institutions want the name of the applicant in the form of a single field, with the last name first,
10 followed by a comma and then the first name and middle initial. To avoid having applicants enter data more than once to accommodate changes in format, the information is preferably stored in simpler data elements, and then combined during second stage validation into the format requested by the institution.

 Dependency rules are checked during second stage validation. For example,
15 whether a particular field, such as Alien Registration Number, is required may depend upon the value supplied by the applicant for another field, such as Citizenship.

 A user who is earnestly filling out the application with the intent to submit it, could, upon submission, be confronted with many institution-required fields on a
20 large second stage data correction page. To minimize the size of that page, the user is given the option of having first stage validation additionally scan the current page's fields for attributes which will be required by the second stage validation process.

 Initially this option is active. If the user is presented a data correction page, the top of the page has radio buttons and instructions for enabling/disabling this
25 feature. The user's choice is maintained between pages via a hidden field in the form(s).

 In this manner, as the user progresses through the application, he can enter values for second stage-required fields in a gradual manner via the first stage validation process, rather than being confronted with many fields to populate upon
30 submission.

-26-

If the user is unable to supply a value at the time, he can disable this feature and postpone entering data into the field until he is ready to submit the application to the institution.

Attribute Aliasing

5 Aliasing of attributes refers to a secondary naming scheme developed to create a flexible data dictionary. By using Aliasing, an application developer can rapidly locate attributes that are defined by system, and avoid creating duplicate attributes that store the same data.

Each attribute alias is a series of descriptors delimited by colons. For
10 example, anything relating to address information uses a descriptor of "ADDRESS"; questions relating to the applicant's birth use a descriptor of "BIRTH".

Thus, the country of birth attribute is named "BIRTH_COUNTRY" but its alias is "BIRTH:ADDRESS:COUNTRY". Similarly, the date of birth attribute is named "BIRTH_DATE", and is aliased as "BIRTH:DATE".

15 Permanent address attributes are named "STREET", "STREET2", "CITY", "ZIP", etc. but the aliases are "ADDRESS:PERMANENT:CITY", "ADDRESS:PERMANENT:ZIP", etc.

Mailing address attributes are named "MAIL_STREET", "MAIL_STREET2", "MAIL_CITY", "MAIL_ZIP", etc. but the aliases are "ADDRESS:MAIL:CITY",
20 "ADDRESS:MAIL:ZIP", etc.

The use of Aliasing provides the ability to search for content by a keyword or set of keywords. For example, to find "father's home address", one could search for all attributes whose aliases contain the descriptors "FATHER", "ADDRESS", and "HOME".

25 This search would locate the aliases "FATHER:ADDRESS:HOME.1:STREET", "FATHER:ADDRESS:HOME.1:CITY", "FATHER:ADDRESS:HOME.1:COUNTRY", "FATHER:ADDRESS:HOME.1:TELEPHONE", which correspond to the variable

-27-

names "PERSON_AT_ADDRESS_SINCE.1", "PERSON_CITY.1",
"PERSON_COUNTRY.1", "PERSON_PHONE.1", respectively.

One can look at the intersection or union of keyword search results to quickly access desired attributes.

- 5 Thus, the aliasing system is used primarily for developing new applications: not only as a lookup tool, but also to avoid adding as new variables attributes that already exist. Finally, aliasing ensures maximum data-sharing by weeding out duplicates that would split the data between two name spaces. It is preferable to use this system as the primary internal naming scheme.

10

Procedure

- FIG. 16 shows the steps that occur in a preferred embodiment when an applicant contacts the forms engine. Step 156 shows that when an application contacts the URL of the forms engine, the forms engine is invoked and initializes
15 itself by reading in libraries and initializing variables, such as global constants and data structures. For example, in the first embodiment of the Application Data File described above, an associative array of associative arrays that defines the form elements used by the engine to construct the application form is initialized.

- In step 157, the forms engine looks for data posted from the Web page form.
20 There may be no data at first, but after some information is entered and a page is saved or changed, data will post to the forms engine, which will perform first stage validation on the data. The forms engine then processes input arguments and posted data to determine the application state as described below.

- Step 158 shows that the forms engine then makes database calls to initialize
25 variables pertaining to the current admissions application (ID #, fee information, institution, etc.).

- Step 159 shows that the forms engines determines which application terms (e.g. "Fall 1999", etc.) are available for this user/application combination. For example, the user may have already submitted and paid for a "Fall 1999" application
30 and is now requesting the same application. This request may be to 1) review the

-28-

submitted application or 2) apply for a new term. The engine needs to guarantee that the user does not submit the same application more than once per term. The search engine calculates submission state information to prevent a user from changing data in an already submitted application, and then resubmitting it in the mistaken belief
5 that the data would be updated at the institution.

There are three outcomes of the calculation of submission state:

- a. No currently available terms. Each term has a Begin-Date and an Expiration-Date. If the current time is before the Begin-Date or after the Expiration-Date, that term is unavailable. No terms would be available if all
10 application windows for an institution are either expired or have not yet begun, or if the user has applied to all currently available terms.
- b. User has applied for a term, and has not yet initiated a new transaction for this application.
- c. User has an available "Active," that is, not submitted or paid,
15 transaction for this application.

In step 160, the engine determines, based upon the availability of a term and the state of any pending or submitted applications, which application form is required by the user and generates the appropriate application form. If the user has an available active transaction, the engine will return the appropriate page of the
20 application in an HTML form with any previously supplied data already filled in. If the user has already submitted the application and has no active transactions, an "Already Submitted" page is returned, with hypertext link(s) to "Printable" (uneditable) versions of the submitted application(s), and the option to fill out the application for a term other than the term(s) already applied for. If there are no
25 available terms, a "No Available Terms" page is returned, which gives the user the option to fill out and save the application, but not submit it until a term is available. In the case that the user has previously submitted an application for the specified term and no other terms are available, a hybrid of the above two pages is returned, with links to printable version(s) of submitted application(s) and the option to fill in and
30 save data but not submit the application until a new term is available.

-29-

In step 161, the forms engine reads and parses the "Application Data File" corresponding to the application to find the appropriate page of the application.

In step 162, the engine initializes a user data structure, preferably an associative array of key/value pairs or a data object in an Object-Oriented
5 implementation Programming using data from the User Attribute Table.

If data has been posted, the forms engine performs first stage data validation in step 163.

If one or more data fail validation, the engine creates a "data correction page" and returns it to the user. This page repeats the text of the failed question, displays a
10 message explaining why the data failed, and repeats the form element pertinent to that datum. When the user posts this page, first stage validation is applied to the incoming data, and if one or more are still in error, a new data correction page is returned. This process continues until all the data for that page have passed validation.

15 As described above, the first stage validation optionally checks for second stage required fields, thereby reducing the number of fields that will require data entry during the second stage validation. On each data correction page, the user has the option to enable/disable this feature.

In step 164, the forms engine outputs an appropriate page to the user
20 depending upon the engine's state.

The front end, that is, the portion of the forms engine that processes incoming data from the user, is essentially one CGI program that determines the proper action by parsing information coming in from the Web form in combination with state information from the Transactions Table. For example, the user could be returning
25 from a data correction page, the user may have hit the "save and send" button, or the user may have switched pages. The engine may look for posted data and process it, etc.

State

-30-

The forms engine can be in one of several possible states after analyzing incoming data. For example, the data may have failed validation and the forms engine, therefore, needs to output data correction page, or a user may have requested to go to page "x", so the forms engine needs to create and output page "x"; etc. (see
5 discussion of state, below).

Most interactions between the user and the inventive system are through "front-end processing," which was described above with respect to FIG. 14. The response of the engine is dependent upon the current state. The Web, which is the communications conduit the system uses, is by definition stateless: When a browser
10 (Web client) submits a request to a Web server, a connection is made between the two only long enough for the server to transmit the desired information. The server then drops the connection, and any information created by the client/server interaction is discarded by the server. The next time the client connects to the server, the slate is blank and they start that interaction from scratch.

15 The system needs a way to maintain state information between contacts. The system utilizes two state models to describe the states of two different aspects of the system: a "session state" applies to the front-end process of creating and returning Web forms, and a "transaction state" pertains to the state of the transaction, that is, the state for a particular user's application to an institution for a specific term.

20 Transaction states include for example, active or submitted or paid or void.

Every page has hidden fields that provide state information. The session state can be determined by parsing the hidden fields returned with data. State information can include, for example, the version number of the application and the page that the user previously requested. For example, the hidden fields would indicate to the
25 server whether a page is being returned because the applicant selected "Save, Pay, and Send" or whether the applicant merely requested a page flip. As another example, when first stage validation finds an error and returns a data correction page to the user, the data correction page includes hidden fields that indicate the page that the user was attempting to go to. When the data correction page is submitted, the

-31-

engine parses the hidden fields to determine the state and returns the previously requested page to the user.

The current transaction state for a specific application/user combination is determined by looking up the application in the data base tables described above.

- 5 For example, if the applicant requests an application for a term for which the applicant has already submitted an application, the engine determines that such is the case, and rather than returning the application, returns a page stating that the application was already submitted. The student is given the option of viewing the application in a printable, non-editable form, or of opening an application form for
10 another term. The engine screens out the term already applied for when it returns the application. If no terms are currently available, a page is returned that states no terms are currently available, but the applicant is permitted to begin completing an application that can be saved until a term is available. In such a case, the "save and send" button is not available until a term is available. Thus, applicants can begin
15 completing forms even before a term is available.

With regard to the front-end state model, the following is a list of the states the engine defined by the action that caused the engine to be in that state:

1. "Initial Contact" – The user is requesting the application form from outside of the engine. The engine will create the first page of the application, merge
20 any matching user data, and return the form.
2. "Page Flip" – For multi-page applications, the user has come from page "x" and wants to go to page "y". The engine first applies front-end validation to the incoming data posted from page "x" (which may result in returning a data correction page), saves the validated data, generates page "x", merges any matching
25 user data and returns the form.
3. "Explicit Save" – At the bottom of each page is a button that allows them to save the current page of data. Essentially, the action of the engine in this state is identical to the "page flip", but "x" equals "y" (i.e., the returned page is the same page number as the page posted from).
- 30 4. "Save and Send" – The user has elected to submit the completed

-32-

application to the institution. The engine does front-end validation on the current page posted, saves data, does back-end validation on all data pertaining to the application, saves data to the User Attribute Sent Table, and passes control to the payment server.

- 5 5. “Data CRX (Correction) Page” – When either front-end or back-end validation has failed, the engine switches to this state, which causes the form generator to create a data correction page and hide in that page state information including the state the engine was in prior to switching to this state. (For example, if the user is on page 3 and chose to go to page 5, but errant data on page 3 lead to an
10 intervening data correction page, the data correction page includes hidden data indicating the page flip to page 5). Once the data are successfully amended and the user posts the data correction page, the engine detects that the prior state was a “page flip” to page 5, and returns page 5 to the user. Similarly, if the user had selected “save and send” and got an intervening front-end or back-end validation data
15 correction page, once corrected the post from that data correction page will then switch the engine into “save and send” mode, and the user will receive the payment page from the payment server.

6. “App Terms Page” – This state is entered when the applicant requests an application that was already submitted or for which no terms are available: (a) an
20 “already submitted” page; or (b) a “no available terms” page. The engine will return either with hidden state information. When one of these pages is posted, the engine will then continually insert additional hidden state information into subsequent forms to ensure future behavior is in accordance with selection(s) the user made on those pages.

- 25 7. “Print Engine” – The engine is being called in print mode to deliver a “printable” (i.e., non-form) version of the application/user data.

8. “Exit” – The user has chosen the ‘Finish Session’ button on the application page, and the engine passes control to the user activity CGI, which displays a page of information about the applications the user has worked on and
30 their status.

-33-

9. "Search" - The user has selected a search button to aid in the selection of a value for example, a country. The engine saves any validated data and displays a search page, which contains links back to the page of the application the user left. These links also cause the selected value to be passed into the engine, which then
5 displays it appropriately in the form.

FIG. 17 shows the back-end state model for an application, and the corresponding transaction operations that cause changes between states. Null state 172 is the state after an application has been created but before the application has been posted by the applicant. The application switches into the active state 178 when
10 the applicant saves a page of the application or when the applicant attempts to save a page and an error prevents the page from being saved. When the application is submitted, it enters a submitted state 180. The applicant is preferably given a warning that no changes can be made to the application after payment is made and is given the option to amend the application. If the applicant indicates a desire to
15 amend the application, or if the application fee is not paid, the application returns to active state 178. If the applicant request a fee waiver or the applicant indicates that he desires to pay by check, the application enters a hold state 182 until the check clears or the fee waiver is approved by the institution. Fee waivers are used by institutions to encourage applications from qualified individuals who may not be able
20 to afford the application fee.

After the application is submitted, the applicant pays for the application, which enters a paid state 184 until the payment is acknowledged by the institution or settled. In the paid state 184 and subsequent states, the application can be viewed for printing by the applicant or downloaded by a batch transfer or file transfer protocol
25 by the institution. The application is then acknowledged by the institution and the payment is settled. Depending upon whether the acknowledgment or settlement occurs first, the application enters an acknowledged state 186 or a settled-preacknowledgment state 192. After both settlement and acknowledgment occur, the application enters a completed state 190.
30 The application can enter a void state 194 if it becomes unuseable, for example,

-34-

because an applicant cancels the application or withdraws permission to provide the application information to the institution. Voided application are maintained in a separate database table.

Data Formatting

5 When application information is uploaded and acknowledged by the institution, the original application information remains archived in the applicant database in the User Attributes Sent table. The application can be printed, re-uploaded, etc. Institutions can request information related to all or a subset of their applications to see, for example, what new applications have been sent and the status
10 of various applications. The data is available for data manipulation, such as for sorting on fields or presenting application information in various database views. For example, a school can look at applications sorted by test scores. The school could also look at all applications of students from a particular geographical area, or students who play a particular sport or instrument. The institution can perform
15 statistical correlations between information on the application and grades achieved at the institution after matriculation to determine what characteristics of applicants correlate with success at the institution.

Not only are the individual data elements tailored to the specifications of a particular institution, the entire data set is formatted to conform to that institutions
20 needs. The data formats may include 1) comma separated values, 2) tab delimited values, 3) fixed length formats, 4) name/value pairs, and 5) EDI 189. For all of these methods, of course, the data is ordered as required (e.g., Social Security number first, last name second, high school name 33rd, etc.).

The format of the entire data set is done via back-end utilities that run on the
25 server and that utilize specially formatted text files containing data formatting descriptions and additional data-manipulation rules. These utilities are triggered when the institution's contact person accesses the administrative utility on the forms engine server and chooses to upload data sets.

Another implementation of the invention uses object-oriented programming
30 and the Extensible Markup Language (XML), which is used to create a customized

-35-

mark-up language related to applications processing. In this embodiment, most of the information about each applicant is stored in an XML file corresponding to that applicant, although some basic account information about each applicant is still maintained in a data table. Information about each application is stored in an XML application description file. This implementation requires fewer files, thereby simplifying maintenance and reducing the run time overhead associated with reading and reconstructing applications from multiple files. First and second stage validation rules are maintained in the XML application description file. Unlike the previously described embodiment, initialization is only required when the web server is started, because the application persists, along with its database connections, as long as the server is operating.

An XML parser, typically written in Perl, parses the XML application description source file and invokes programs that implement by creating and saving binary objects the features specified by the XML tags. For example, the text between a <begin page> tag and an <end page> tag is used to create a page object having attributes defined by the text between the tags. Similarly, an object corresponding to an element of a page is created based upon the text between a <begin element> tag and an <end element> tag. The created objects define the application that is presented to the applicant.

FIG. 18 shows examples of binary objects created by the XML parser and the relationships between some of the objects. For example, FIG. 18 shows, that a page object 204 can include one or more element object 206, groups objects 208, and table objects 210. An element object 206, which can be instantiated for example as a question on the application, includes a pre-text element 212 and a post-text element 214 corresponding to text associated with the question, an input field element 216, and any validation rule elements 218. Groups objects 208 may also include a pre-text element 212 and a post-text element 214, as well as element objects 206, other group objects 208, and table objects 210. Table objects 210 can include table header objects 220 and row element objects 222. Skilled programmers can write many classes to customize an application and will understand that FIG. 18

-36-

is a greatly simplified example used to demonstration the principles of the embodiment.

The group object allows multiple elements to be associated with a group and eases the implementation of an adaptive application, in which the content of application pages sent to an applicant may depend upon the applicant's answers in previous pages. Whether an element or group is displayed depends upon the value of a display attribute, which can be used to specify the conditions under which the object is displayed on the screen or in printed reports. For example, a group of questions may belong to a "non-U.S. citizen" group object. Questions belonging to the non-U.S. citizen group object may request information such as visa type, alien registration number, and country of origin. If the applicant answers that he is a U.S. citizen, elements in the "non-U.S. citizen" group are not displayed. An adaptive application would also be useful for a higher education system that includes multiple schools or campuses. A single application file could be used, with the questions presented to the applicant depending upon the particular school the applicant chooses. Using a single application greatly simplifies maintenance of the application form.

Applicant information is similarly saved in an applicant XML file. Unlike the application description XML file, the applicant file is changed as information is posted by the applicant. Thus, the applicant XML file is re-saved each time that data is posted by the applicant.

Although the present invention has been described using an embodiment that processes college admission application forms, it is not limited to that application, but is applicable to processing any form, such as employment forms and student loan forms, such as for the PLUS student loan program

While a preferred embodiment of the present invention has been shown and described, it will be apparent to those skilled in the art that many changes and modifications may be made without departing from the invention in its broader aspects. Because the computer and computer network fields are changing rapidly, it is expected that implementation of the invention will change significantly as

-37-

technology evolves. The particular programming language and the type of database can be varied depending on the preferences of the programmer. Such changes in implementation, however, do not depart from the spirit and scope of the invention. The appended claims are therefore intended to cover all such changes and

5 modifications as fall within the true spirit and scope of the invention.

-38-

APPENDIX

```

<HTML>
<HEAD>
  <META NAME="GENERATOR" CONTENT="Mozilla/4.04 [en] (Win95;
I) [Netscape]">
  <TITLE>Lewis and Clark College for Admission for mossch,
page 1</TITLE>
</HEAD>
<BODY BGCOLOR="#FFFFFF">

<CENTER>
<H1>
<IMG SRC="/logos/lewisc.gif" ></H1></CENTER>

<CENTER>
<H2>
Lewis and Clark College<BR>
Application for Admission, page 1   <BR>
Fee: $45.00</H2></CENTER>
<FORM METHOD="POST" ACTION="https://www.applyweb.com/cgi-
bin/app?lewisc" ENCTYPE="application/x-www-form-urlencoded">
<HR>
<TABLE BORDER=0 WIDTH="695" >
<TR>
<TD><B>Office of Admissions</B>
<BR>0615 S.W. Palatine Hill Road
<BR>Portland, Oregon 97219-7899
<BR>Phone: 503-768-7040</TD>

<TD VALIGN=TOP>Toll-Free: 800-444-4111
<BR>Fax: 503-768-7055
<BR>Internet: admissions@lclark.edu
<BR>World Wide Web: http://www.lclark.edu</TD>
</TR>
</TABLE>

<HR>
<TABLE BORDER=0 WIDTH="610" >
<TR>
<TD><B>Admissions plan:</B>&nbsp;  
<BR><INPUT TYPE=RADIO NAME="LEWISC-ADMISSION" VALUE="Early
Decision (binding)" ><NOBR>Early
Decision (binding)</NOBR>&nbsp;  
<BR><INPUT TYPE=RADIO NAME="LEWISC-ADMISSION" VALUE="Early
Action (nonbinding)" ><NOBR>Early
Action (nonbinding)</NOBR>&nbsp;  
<BR><INPUT TYPE=RADIO NAME="LEWISC-ADMISSION" VALUE="Regular
Decision" ><NOBR>Regular
Decision</NOBR>&nbsp;  </TD>

<TD VALIGN=TOP><B>Applicant status:</B>&nbsp;  
<BR><INPUT TYPE=RADIO NAME="LEWISC-APPLICANT_STAT"
VALUE="First-year student" ><NOBR>First-year
student</NOBR>&nbsp;  

```


-39-

```

<BR><INPUT TYPE=RADIO NAME="LEWISC-APPLICANT_STAT"
VALUE="Transfer student" ><NOBR>Transfer
student</NOBR>&nbsp;
<BR>Portfolio Path?&nbsp;<INPUT TYPE=RADIO NAME="LEWISC-
PORTFOLIO" VALUE="Y" ><NOBR>Yes</NOBR>&nbsp;<INPUT
TYPE=RADIO NAME="LEWISC-PORTFOLIO" VALUE="N"
><NOBR>No</NOBR>&nbsp;</TD>
</TR>
</TABLE>
&nbsp;
<TABLE BORDER=0 WIDTH="500" >
<TR>
<TD><B>Entry date:</B>&nbsp;<SELECT NAME="LEWISC-APP_TERM"
SIZE=1 ><OPTION VALUE="" >&nbsp;<OPTION VALUE="Fall 1998"
SELECTED >Fall
1998&nbsp;<OPTION VALUE="Spring 1998" >Spring
1998&nbsp;</SELECT></TD>

<TD VALIGN=TOP><B>Residence plans:</B>&nbsp;
<BR><INPUT TYPE=RADIO NAME="LEWISC-RESIDENCE"
VALUE="Residence hall" ><NOBR>Residence
hall</NOBR>&nbsp;
<BR><INPUT TYPE=RADIO NAME="LEWISC-RESIDENCE"
VALUE="Commuting student" ><NOBR>Commuting
student</NOBR>&nbsp;</TD>
</TR>
</TABLE>

<HR><B><FONT SIZE=+2>Personal</FONT></B>
<BR><I>Last/Family Name:</I> <B><FONT
SIZE=+2>Scheinberg</FONT></B>&nbsp;<INPUT TYPE=HIDDEN
NAME="NAME_LAST" VALUE="Scheinberg"><IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" >&nbsp;<IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" >
<I>First:</I> <B><FONT
SIZE=+2>Michael</FONT></B>&nbsp;<INPUT TYPE=HIDDEN
NAME="NAME_FIRST" VALUE="Michael">
<BR>Middle:&nbsp;<INPUT TYPE="text" NAME="NAME_MIDDLE"
VALUE="" SIZE=12 MAXLENGTH=25><IMG SRC="/images/spacer.gif"
ALT="" ><IMG SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" >&nbsp;<IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" >&nbsp;<SELECT
NAME="NAME_SUFFIX" SIZE=1
><OPTION><OPTION>Jr. &nbsp;<OPTION>Sr. &nbsp;<OPTION>II&nbsp;<
OPTION>III&nbsp;<OPTION>IV&nbsp;</SELECT><IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" >&nbsp;<IMG

```

[illegible]

-41-

```

SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" >&nbsp;<IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" >&nbsp;<IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" >&nbsp;<IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" >&nbsp;<IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" >&nbsp;<IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" >&nbsp;<IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" >
Gender:&nbsp;<INPUT TYPE=RADIO NAME="GENDER" VALUE="M"
><NOBR>Male</NOBR>&nbsp;<INPUT TYPE=RADIO NAME="GENDER"
VALUE="F" ><NOBR>Female</NOBR>
<BR>Preferred name or nickname:&nbsp;<INPUT TYPE="text"
NAME="NAME_PREFER" VALUE="" SIZE=12 MAXLENGTH=45><IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" >&nbsp;<IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" >
Former last name(s), if any&nbsp;<INPUT TYPE="text"
NAME="NAME_OTHER_LAST" VALUE="" SIZE=12 MAXLENGTH=40>

<P>Permanent address:
<BR>Street:&nbsp;<INPUT TYPE="text" NAME="STREET" VALUE=""
SIZE=20 MAXLENGTH=40>Box/Apt:&nbsp;<INPUT TYPE="text"
NAME="STREET2" VALUE="" SIZE=10 MAXLENGTH=25>
<BR>City:&nbsp;<INPUT TYPE="text" NAME="CITY" VALUE=""
SIZE=20 MAXLENGTH=35><IMG SRC="/images/spacer.gif" ALT=""
><IMG SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" >&nbsp;<IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" >
State/Province:&nbsp;<SELECT NAME="STATE" SIZE=1 ><OPTION
VALUE="" >&nbsp;<OPTION VALUE="AL" >Alabama&nbsp;<OPTION
VALUE="AK" >Alaska&nbsp;<OPTION VALUE="AZ"
>Arizona&nbsp;<OPTION VALUE="AR" >Arkansas&nbsp;<OPTION
VALUE="CA" >California&nbsp;<OPTION VALUE="CO"
>Colorado&nbsp;<OPTION VALUE="CT" >Connecticut&nbsp;<OPTION
VALUE="DE" >Delaware&nbsp;<OPTION VALUE="DC" >District

```

-42-

```

of Columbia&nbsp;<OPTION VALUE="FL"  >Florida&nbsp;<OPTION
VALUE="GA"  >Georgia&nbsp;<OPTION VALUE="HI"
>Hawaii&nbsp;<OPTION VALUE="ID"  >Idaho&nbsp;<OPTION
VALUE="IL"  >Illinois&nbsp;<OPTION VALUE="IN"
>Indiana&nbsp;<OPTION VALUE="IA"  >Iowa&nbsp;<OPTION
VALUE="KS"  >Kansas&nbsp;<OPTION VALUE="KY"
>Kentucky&nbsp;<OPTION VALUE="LA"  >Louisiana&nbsp;<OPTION
VALUE="ME"  >Maine&nbsp;<OPTION VALUE="MD"
>Maryland&nbsp;<OPTION VALUE="MA"
>Massachusetts&nbsp;<OPTION VALUE="MI"
>Michigan&nbsp;<OPTION VALUE="MN"  >Minnesota&nbsp;<OPTION
VALUE="MS"  >Mississippi&nbsp;<OPTION VALUE="MO"
>Missouri&nbsp;<OPTION VALUE="MT"  >Montana&nbsp;<OPTION
VALUE="NE"  >Nebraska&nbsp;<OPTION VALUE="NV"
>Nevada&nbsp;<OPTION VALUE="NH"  >New
Hampshire&nbsp;<OPTION VALUE="NJ"  >New Jersey&nbsp;<OPTION
VALUE="NM"  >New
Mexico&nbsp;<OPTION VALUE="NY"  >New York&nbsp;<OPTION
VALUE="NC"  >North
Carolina&nbsp;<OPTION VALUE="ND"  >North Dakota&nbsp;<OPTION
VALUE="OH"  >Ohio&nbsp;<OPTION VALUE="OK"
>Oklahoma&nbsp;<OPTION VALUE="OR"  >Oregon&nbsp;<OPTION
VALUE="PA"  >Pennsylvania&nbsp;<OPTION VALUE="RI"  >Rhode
Island&nbsp;<OPTION VALUE="SC"  >South Carolina&nbsp;<OPTION
VALUE="SD"  >South
Dakota&nbsp;<OPTION VALUE="TN"  >Tennessee&nbsp;<OPTION
VALUE="TX"  >Texas&nbsp;<OPTION VALUE="UT"
>Utah&nbsp;<OPTION VALUE="VT"  >Vermont&nbsp;<OPTION
VALUE="VA"  >Virginia&nbsp;<OPTION VALUE="WA"
>Washington&nbsp;<OPTION VALUE="WV"  >West
Virginia&nbsp;<OPTION VALUE="WI"  >Wisconsin&nbsp;<OPTION
VALUE="WY"  >Wyoming&nbsp;<OPTION VALUE="AB"
>Alberta&nbsp;<OPTION VALUE="BC"  >British
Columbia&nbsp;<OPTION VALUE="MB"  >Manitoba&nbsp;<OPTION
VALUE="NB"  >New
Brunswick&nbsp;<OPTION VALUE="NF"
>Newfoundland&nbsp;<OPTION VALUE="NS"  >Nova
Scotia&nbsp;<OPTION VALUE="NT"  >Northwest
Territories&nbsp;<OPTION VALUE="ON"  >Ontario&nbsp;<OPTION
VALUE="PE"  >Prince
Edward Island&nbsp;<OPTION VALUE="QB"  >Quebec&nbsp;<OPTION
VALUE="SK"  >Saskatchewan&nbsp;<OPTION VALUE="YT"  >Yukon
Territories&nbsp;</SELECT>
<BR>Zip/Postal Code:&nbsp;<INPUT TYPE="text" NAME="ZIP"
VALUE="" SIZE=10 MAXLENGTH=10><IMG SRC="/images/spacer.gif"
ALT="" ><IMG SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" >&nbsp;<IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" >
Current telephone <FONT SIZE=-1>(area
code)+number</FONT>&nbsp;<INPUT TYPE="text" NAME="PHONE"
VALUE="503-224-0115" SIZE=12 MAXLENGTH=17>

```

-43-

E-mail address: <INPUT TYPE="text" NAME="EMAIL" VALUE="mos@hevanet.com" SIZE=20 MAXLENGTH=40> Fax #: <INPUT TYPE="text" NAME="FAX" VALUE="" SIZE=12 MAXLENGTH=17>

<P>If different from above, please give your mailing address for all admissions correspondence:

Street: <INPUT TYPE="text" NAME="MAIL_STREET" VALUE="" SIZE=20 MAXLENGTH=35>Box/Apt: <INPUT TYPE="text" NAME="MAIL_STREET2" VALUE="" SIZE=10 MAXLENGTH=45>

City: <INPUT TYPE="text" NAME="MAIL_CITY" VALUE="" SIZE=20 MAXLENGTH=35>
 State/Province: <SELECT NAME="MAIL_STATE" SIZE=1 ><OPTION VALUE="" > <OPTION VALUE="AL" >Alabama <OPTION VALUE="AK" >Alaska <OPTION VALUE="AZ" >Arizona <OPTION VALUE="AR" >Arkansas <OPTION VALUE="CA" >California <OPTION VALUE="CO" >Colorado <OPTION VALUE="CT" >Connecticut <OPTION VALUE="DE" >Delaware <OPTION VALUE="DC" >District of Columbia <OPTION VALUE="FL" >Florida <OPTION VALUE="GA" >Georgia <OPTION VALUE="HI" >Hawaii <OPTION VALUE="ID" >Idaho <OPTION VALUE="IL" >Illinois <OPTION VALUE="IN" >Indiana <OPTION VALUE="IA" >Iowa <OPTION VALUE="KS" >Kansas <OPTION VALUE="KY" >Kentucky <OPTION VALUE="LA" >Louisiana <OPTION VALUE="ME" >Maine <OPTION VALUE="MD" >Maryland <OPTION VALUE="MA" >Massachusetts <OPTION VALUE="MI" >Michigan <OPTION VALUE="MN" >Minnesota <OPTION VALUE="MS" >Mississippi <OPTION VALUE="MO" >Missouri <OPTION VALUE="MT" >Montana <OPTION VALUE="NE" >Nebraska <OPTION VALUE="NV" >Nevada <OPTION VALUE="NH" >New Hampshire <OPTION VALUE="NJ" >New Jersey <OPTION VALUE="NM" >New Mexico <OPTION VALUE="NY" >New York <OPTION VALUE="NC" >North Carolina <OPTION VALUE="ND" >North Dakota <OPTION VALUE="OH" >Ohio <OPTION VALUE="OK"

-44-

```

>Oklahoma&nbsp;<OPTION VALUE="OR" >Oregon&nbsp;<OPTION
VALUE="PA" >Pennsylvania&nbsp;<OPTION VALUE="RI" >Rhode
Island&nbsp;<OPTION VALUE="SC" >South Carolina&nbsp;<OPTION
VALUE="SD" >South
Dakota&nbsp;<OPTION VALUE="TN" >Tennessee&nbsp;<OPTION
VALUE="TX" >Texas&nbsp;<OPTION VALUE="UT"
>Utah&nbsp;<OPTION VALUE="VT" >Vermont&nbsp;<OPTION
VALUE="VA" >Virginia&nbsp;<OPTION VALUE="WA"
>Washington&nbsp;<OPTION VALUE="WV" >West
Virginia&nbsp;<OPTION VALUE="WI" >Wisconsin&nbsp;<OPTION
VALUE="WY" >Wyoming&nbsp;<OPTION VALUE="AB"
>Alberta&nbsp;<OPTION VALUE="BC" >British
Columbia&nbsp;<OPTION VALUE="MB" >Manitoba&nbsp;<OPTION
VALUE="NB" >New
Brunswick&nbsp;<OPTION VALUE="NF"
>Newfoundland&nbsp;<OPTION VALUE="NS" >Nova
Scotia&nbsp;<OPTION VALUE="NT" >Northwest
Territories&nbsp;<OPTION VALUE="ON" >Ontario&nbsp;<OPTION
VALUE="PE" >Prince
Edward Island&nbsp;<OPTION VALUE="QB" >Quebec&nbsp;<OPTION
VALUE="SK" >Saskatchewan&nbsp;<OPTION VALUE="YT" >Yukon
Territories&nbsp;</SELECT>
<BR>Zip/Postal code:&nbsp;<INPUT TYPE="text" NAME="MAIL_ZIP"
VALUE="" SIZE=10 MAXLENGTH=12><IMG SRC="/images/spacer.gif"
ALT="" ><IMG SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" >&nbsp;<IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" >
Phone at mailing address:&nbsp;<INPUT TYPE="text"
NAME="MAIL_PHONE" VALUE="" SIZE=12 MAXLENGTH=17>
<BR>Social Security #:&nbsp;<INPUT TYPE="text" NAME="SS_NUM"
VALUE="" SIZE=11 MAXLENGTH=11><IMG SRC="/images/spacer.gif"
ALT="" ><IMG SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" >&nbsp;<IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" >
Date of birth (MMDDYY):&nbsp;<INPUT TYPE="text"
NAME="mdy1__BIRTH_DATE" VALUE="" SIZE=2 MAXLENGTH=2><INPUT
TYPE="text" NAME="mdy2__BIRTH_DATE" VALUE="" SIZE=2
MAXLENGTH=2><INPUT TYPE="text" NAME="mdy3__BIRTH_DATE"
VALUE="" SIZE=4 MAXLENGTH=4>

<P>What country are you a citizen of? (<A
HREF="/country.html" TARGET="ResourceWindow">view
codes</A>)&nbsp;<INPUT TYPE="text" NAME="CITIZEN_COUNTRY"
VALUE="" SIZE=2 MAXLENGTH=2>
<BR>Religious affiliation (optional)&nbsp;<INPUT TYPE="text"
NAME="RELIGION" VALUE="" SIZE=30 MAXLENGTH=40>
<BR>If not a U.S. citizen, are you a Permanent
Resident?&nbsp;<INPUT TYPE=RADIO NAME="RESIDENT_ALIEN_YN"
VALUE="Y" >Yes&nbsp;<INPUT TYPE=radio
NAME="RESIDENT_ALIEN_YN" VALUE="N" >No&nbsp;<IMG

```

-45-

```

SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" >&nbsp;<IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" >&nbsp;<IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" >&nbsp;<IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" >
Visa type&nbsp;<INPUT TYPE="text" NAME="VISA_TYPE" VALUE=""
SIZE=12 MAXLENGTH=40>
<BR>Have you previously applied to Lewis &
Clark?&nbsp;<INPUT TYPE=RADIO NAME="LEWISC-APP_BEFORE"
VALUE="Y" ><NOBR>Yes</NOBR>&nbsp;<INPUT TYPE=RADIO
NAME="LEWISC-APP_BEFORE" VALUE="N" ><NOBR>No</NOBR>
<BR>If yes, for which term/year?&nbsp;<INPUT TYPE="text"
NAME="LEWISC-APPLY_YN" VALUE="" SIZE=5 MAXLENGTH=10>
<BR>Will you be a candidate for need-based financial
aid?&nbsp;<INPUT TYPE=RADIO NAME="LEWISC-FIN_AID" VALUE="Y"
><NOBR>Yes</NOBR>&nbsp;<INPUT TYPE=RADIO NAME="LEWISC-
FIN_AID" VALUE="N" ><NOBR>No</NOBR>
<BR>(Financial aid is not a factor in the admission decision
process. Indicating
"yes" will allow us to send the required IDF packet.)

<P>If yes, FASFA and IDF forms were/will be filed
on:&nbsp;<INPUT TYPE="text" NAME="mdy1__LEWISC-FASFA_FORM"
VALUE="" SIZE=2 MAXLENGTH=2><INPUT TYPE="text"
NAME="mdy2__LEWISC-FASFA_FORM" VALUE="" SIZE=2
MAXLENGTH=2><INPUT TYPE="text" NAME="mdy3__LEWISC-
FASFA_FORM" VALUE="" SIZE=4 MAXLENGTH=4>
<BR>(See application instructions for important deadline
information.)
<BR>Name of your current school:&nbsp;<INPUT TYPE="text"
NAME="CURRENT_SCHOOL_NAME" VALUE="" SIZE=30 MAXLENGTH=50>
<BR>Type of school:&nbsp;<SELECT NAME="HS_TYPE.1" SIZE=1
><OPTION><OPTION>Public&nbsp;<OPTION>Private&nbsp;<OPTION>Pa
rochial&nbsp;</SELECT>

<P><B>For first-year students only:</B>
<BR>Name of high school counselor:&nbsp;<INPUT TYPE="text"
NAME="HS_COUNSELOR" VALUE="" SIZE=40 MAXLENGTH=80>
<BR>Office telephone:&nbsp;<INPUT TYPE="text"
NAME="PERSON_PHONE.45" VALUE="" SIZE=12 MAXLENGTH=17><IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" >&nbsp;<IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" ><IMG
SRC="/images/spacer.gif" ALT="" >

```

-46-

School Fax #: <INPUT TYPE="text" NAME="HS_FAX.1" VALUE="" SIZE=12 MAXLENGTH=12>

High School CEEB code number: <INPUT TYPE="text" NAME="HS_CEEB.1" VALUE="" SIZE=6 MAXLENGTH=6>

<P>If you're not currently attending school, please tell us what you're doing.

<CENTER><TEXTAREA NAME="ESSAY_NO_SCHOOL" ROWS=40 COLS=60 WRAP=virtual></TEXTAREA></CENTER>

<P>Please list any relatives who may have attended Lewis & Clark, give their name, relationship, class (if known).

<CENTER><TEXTAREA NAME="LEWISC-STATEMENT_FAMILY_ATTEND2" ROWS=2 COLS=60 WRAP=virtual></TEXTAREA></CENTER>

<P>What influenced you to apply to Lewis & Clark?
 <CENTER><TEXTAREA NAME="LEWISC-STATEMENT_INFLUENCE" ROWS=5 COLS=60 WRAP=virtual></TEXTAREA></CENTER>

<P>Have you ever visited the Lewis & Clark campus? <INPUT TYPE="RADIO" NAME="LEWISC-VISIT" VALUE="Y" ><NOBR>Yes</NOBR> <INPUT TYPE="RADIO" NAME="LEWISC-VISIT" VALUE="N" ><NOBR>No</NOBR>

If yes, when? (MMDDYY) <INPUT TYPE="text" NAME="mdy1__LEWISC-VISIT_WHEN" VALUE="" SIZE=2 MAXLENGTH=2><INPUT TYPE="text" NAME="mdy2__LEWISC-VISIT_WHEN" VALUE="" SIZE=2 MAXLENGTH=2><INPUT TYPE="text" NAME="mdy3__LEWISC-VISIT_WHEN" VALUE="" SIZE=4 MAXLENGTH=4><INPUT TYPE="HIDDEN" NAME="POSTING_PAGE" VALUE="1"><INPUT TYPE="HIDDEN" NAME="SCHOOL_CAMPUS" VALUE="Portland,OR"><INPUT TYPE="HIDDEN" NAME="LEWISC-FEE" VALUE="38.25"><INPUT TYPE="HIDDEN" NAME="LEWISC-CHG" VALUE="6.75"><INPUT TYPE="HIDDEN" NAME="SCHOOL" VALUE="Lewis and Clark College"><INPUT TYPE="HIDDEN" NAME="DOCTYPE" VALUE="Lewis and Clark College for Admission"><INPUT TYPE="HIDDEN" NAME="SCHOOL_ABBREVIATION" VALUE="LEWISC"><INPUT TYPE="HIDDEN" NAME="LEWISC-VERSION" VALUE=""><INPUT TYPE="HIDDEN" NAME="IGNORE_REQ" VALUE="1"><INPUT TYPE="HIDDEN" NAME="AWVERSION" VALUE="1.37">
 <TABLE BORDER=2 WIDTH="100%" >
 <TR>
 <TD>

-47-

```
<CENTER>Save and go to page:&nbsp;<INPUT TYPE="SUBMIT"
NAME="GOTOPG" VALUE="2"><INPUT TYPE="SUBMIT" NAME="GOTOPG"
VALUE="3"><INPUT TYPE="SUBMIT" NAME="GOTOPG"
VALUE="4"></CENTER>
</TD>

<TD>
<CENTER><B>Page 1</B>&nbsp;</CENTER>
</TD>

<TD>
<CENTER><INPUT TYPE="SUBMIT" NAME="PGSAVE" VALUE="Save This
Page"></CENTER>
</TD>
</TR>
</TABLE>
</FORM>
</BODY>
</HTML>
```

-48-

CLAIMS

1. A method of creating and processing over a computer network forms representing applications for admission to different institutions, comprising
- 5 creating in response to a request from an applicant for an application to a first institution a first application form customized in accordance with the preferences of the first institution, the first application form including data fields for entering applicant information;
- providing to the applicant over a computer network the first application form;
- 10 entering the applicant information in the data fields;
- posting the first application form to a server;
- storing the applicant information in a data storage;
- creating in response to a request from the applicant for an application to a second institution a second application form customized in accordance with the
- 15 preferences of the second institution, the second application form including data fields for entering applicant information;
- inserting into some of the data fields of the second application applicant information from the data storage;
- providing to the applicant over a computer network the second application
- 20 form;
- entering applicant information into the data fields for entering applicant data into which information was not inserted from the data storage or into which the data inserted from the data storage is to be changed;
- posting the second application form to the server, whereby customized
- 25 applications to different institutions share data through common data storage.
2. The method of claim 1 in which creating a first application form customized in accordance with the preferences of the first institution includes generating a first application in accordance with stored application description
- 30 information and in which the first application can be modified by modifying the

-49-

application description information without rewriting the computer program that creates the application.

3. The method of claim 1 in which posting the first application includes
5 verifying that pre-specified application information is present and meets pre-specified criteria.

4. The method of claim 1 in which posting the first application and posting
the second application each includes the steps of posting a single page of the
application and of posting the completed application, and in which posting a single
10 page includes verifying that some specific information is present and meets pre-specified criteria and in which posting the complete application includes verifying that the information meets criteria specified by the corresponding institution

5. The method of claim 1 in which creating an application to a first
institution includes creating an application identified with the brand of the first
15 institution and in which creating an application to a second institution a second application includes creating an application identified with the brand of the second.

6. The method of claim 1 further comprising transmitting the applicant
information to the first institution in a format specified by the first institution and
transmitting the applicant information to the second institution in a format specified
20 by the second institution.

7. The method of claim 6 further comprising making multiple applications to
the first institution from different applicants available on line to the first institution
for analysis after transmitting the applicant information to the first institution.

8. The method of claim 7 in which making multiple applications available to
25 the first institution includes making application information selectively available to

-50-

various personnel at the institution.

9. The method of claim 1 in which storing the applicant information is performed by a third party application servicer.

10. The method of claim 9 in which posting the first application and posting the second application includes paying application fees for the applications and in which the third party servicer processes the application fee.

11. The method of claim 1 in which storing the information includes parsing the information into elements, the data elements being separately stored and identified, thereby allowing the elements to be separately retrieved and rearranged in subsequent applications.

12. The method of claim 1 in which inserting information from the data storage includes inserting information representing combined elements into a single field.

13. The method of claim 1 in which the fields for entering applicant information include labels and in which at least some of the fields in the second application use different labels different from those in the corresponding fields in the first application, and in which storing the applicant information and inserting applicant information from the data storage is independent of the labels used in the application, thereby allowing each institution to customize the appearance of its corresponding application, while still permitting information to be shared across applications.

14. The method of claim 1 in which the fields for entering applicant information are formatted and in which at least some of the fields in the second application are formatted differently from those in the corresponding fields in the first

-51-

application, and in which storing the applicant information and inserting applicant information from the data storage is independent of the format used in the application, thereby allowing each institution to customize the appearance of its corresponding application, while still permitting information to be shared across
5 applications.

15. The method of claim 1 in which providing the first application form comprises providing multiple pages and in which posting the first application to a server includes posting multiple pages to the server.

16. The method of claim 15 in which the content of a page of the provided
10 application depends upon information posted in a previous page.

17. The method of claim 1 in which the data storage includes a relational database or XML files.

18. The method of claim 1 in which the data storage includes stores metadata describing the data.

15 19. The method of claim 17 in which the metadata includes validation rules for the data.

20. The method of claim 17 in which the metadata specifies the sharing between applications or the accessibility of the data.

21. A system for creating and processing customized forms for unrelated
20 institutions using a common third party data storage over a computer network, the system including:

a server computer operated by the third party and in data communication over a data network with a client computer for requesting a form and for entering

-52-

information onto the form;

first data storage in communication with the server computer and including form description information specifying the content and appearance of each customized form;

5 second data storage in communication with the server computer and including in a user information posted from the client computer; and

a forms engine program operating on the server computer for generating a form from the form description information in response to a request for the form transmitted from the client computer over the computer network, the form including
10 fields for user information, the forms engine program populating the fields for user information with user information available from the second data storage, accepting information entered on the form by the user, and storing the newly entered information in the second data storage for use on subsequent forms.

15 22. The system of claim 20 in which generating a form includes generating a form including branding information identifying the particular institution to which the form is directed.

23. The system of claim 20 in which the customized forms include labels for data entry fields and in which labels are different for the same user information on
20 different ones of the customized forms.

24. The system of claim 20 in which the same user information is requested using different styled menus on different ones of the customized forms.

25 25. The system of claim 20 in which at least some of the user information is parsed into smaller elements before storage, the smaller elements individually retrievable for insertion into subsequent forms.

26. The system of claim 20 in which the information about the user is in the

-53-

form of user attributes and in which user attributes have properties that specify information about the attribute.

27. The system of claim 20 further comprising means for transmitting in a format specified by the institution information from a completed form to the
5 institution associated with the form.

28. The system of claim 20 further comprising means for verifying information in a form, the verification means including means for verifying information common to all forms and means for verifying information for a specific institution.

10 29. The system of claim 20 in which the forms engine generates a form comprising multiple pages and in which the content of at least one of the multiple pages depends upon previously supplied user information.

30. The system of claim 20 in which the first or second data storage comprises one or more XML files stored on a computer readable medium.

15 31. The system of claim 20 in which the first or second data storage comprises one or more relational database tables stored on a computer readable medium.

32. A method of creating and processing forms associated with multiple institutions, comprising:
20 contacting a server over a computer network;
creating a form customized for one of the multiple institutions from stored form description information;
inserting available user information from a user data storage into the form;
transmitting the form with the available user information to a user for

-54-

completion;

completing the form;

receiving the completed form; and

storing user information from the form in the user data storage.

5 33. The method of claim 31 in which completing the form includes completing multiple pages of the form with each page being transmitted to the server for verification in accordance with verification rules before completing a subsequent page.

10 34. The method of claim 32 in which receiving the completed form includes verifying the completed form in accordance with verification rules specific to the one of the multiple institutions.

 35. The method of claim 31 in which the user data storage includes a relational database.

15 36. The method of claim 31 in which the user data storage includes a one or more XML files.

 37. The method of claim 31 in which the user data storage includes information describing properties of the data.

 38. The method of claim 36 in which the properties of the data include permissible values for the data.

20 39. The method of claim 36 in which the properties of the data specify the conditions under which the data is to be displayed.

 40. A forms processing apparatus, comprising:

-55-

multiple forms for containing data, the forms being associated with different institutions and specifying a process, the process including a front-end process for presenting a page to a user and receiving and storing data from the user and a back-end processing specification for preparing the form data for receipt by the institution;

5 a forms engine that integrates the form, the data, and processes regardless of the appearance of the form, the type or significance of the data, and the processing that follows collection of the data.

41. The method of claim 39 in which the forms engine resides on a server maintained by a third party forms servicer and each form is customized for an
10 associated are specified in a relational database.

42. The method of claim 39 in which the content and processes of the forms are specified in XML files.

43. The method of claim 39 in which the front end processing includes data validation.

15 44. The method of claim 39 in which the front-end processing includes creating a form including multiple pages, the content of each page dependent upon information previously supplied by the user.

45. A method of providing customizable applications to institutions, the applications sharing common data storage, the method comprising:

20 providing at least two application information files, each describing a customized applications for an independent institution;

providing data storage for storing information entered on an application and inserting the information into subsequent applications;

generating a customized application in response to a request over a computer
25 network from an applicant, the application form and content being specified by one

-56-

of the at least two application information files;
populating fields of the customized application using information from the
data storage;
transmitting the customized application over a computer network to a
5 requesting applicant; and
completing fields of the application that were not populated from the data
storage.

46. The method of claim 44 in which completing fields of the application
that were not populated from the data storage including overwriting with new values
10 fields that were populated from the data storage, the new values being stored in the
data storage in place of the existing values.

47. The method of claim 44 in which providing a data storage for storing
information includes providing a data storage that is extensible without
reprogramming the program for generating the customized application, thereby
15 allowing an institution to readily request and store new information not previously
stored.

48. The method of claim 44 in which generating a customized application
includes generating an application that includes the logotype of the institution.

49. The method of claim 44 in which the data storage store metadata
20 describing the data.

50. The method of claim 48 in which the metadata describes permissible
values for the data and further comprising comparing the data in the completed fields
with the permissible values.

51. The method of claim 48 in which the meta data describes conditions

-57-

under which questions on the customized application are displayed.

52. The method of claim 44 in which the data storage includes a relational database.

53. The method of claim 44 in which the data storage includes one or more
5 XML files.

54. The method of claim 44 in which the customized application includes multiple pages.

55. The method of claim 53 in which the content of one of the multiple page depends the fields completed by an applicant on a previous one of the multiple pages.





FIG. 1



Online Applications


Before You Apply...

- 52 → 1-Create Your Account
- 68 → 2-Directions & Information
- 72 → 3-Apply to Lewis & Clark College

After You Apply...

- 74 → Review Your Personal Log
- 76 → Change Your Password

36 ↑



College Bound Students:

If only getting classes were this easy.

Click into Educaid®

CollegeNET Online Application Schools

APPLY Online Application available now

APPLY Online Application under construction

Four year US colleges

Matching schools: 1

38

APPLY

Lewis & Clark College
Portland, OR

CollegeNET®

©1997 Universal Algorithms, Inc.

40

FIG. 3

SUBSTITUTE SHEET (RULE 26)

54
↓

42

Create a New Apply Web Account

Once created, your account can be used to save and re-edit all of your applications on the ApplyWeb system, as well as submit your applications to the admissions department. Be sure to remember your username and password.

User Info

The information you enter here will be automatically entered into each ApplyWeb application that you complete. We recommend you use your full legal name. You will not be able to change your name information once you have created your account, so please fill in these fields as you would like them to appear on an actual application.

Last Name:

First Name:

Phone (XXX-XXX-XXXX):

E-mail Address (opt):

ApplyWeb Username

Enter up to 8 characters for your desired username below. Lowercase letters & numbers only.

Note when choosing a user name: Your user name will be a part of your user id when your application is sent to an admissions office.

Username:

ApplyWeb Password

Enter your password twice - be sure there were no mistakes.

Passwords must be at least 7 characters. Spaces are not allowed.

New Password:

New Password (again):

FIG. 4

SUBSTITUTE SHEET (RULE 26)





Fig. 5

70



Welcome! Your new account has been created and is available for all college applications on the ApplyWeb system. Please make a note of your username and password as your account will not be accessible without them.

Directions and Information

Application Features

- No checks to write! You pay your application fee on-line.
- You can complete the application over multiple sessions.
- Your data is securely stored and transmitted.
- You'll save time by not having to retype data on different forms.
- You'll know immediately when the school receives your application.

Instructions Menu

- Application Instructions
- Hints for filling out applications
- If you have problems accessing web forms
- Web application features
- Scholarship Eligibility

Go to Step 3:

- Apply to Lewis & Clark College

Find out how to become eligible for a scholarship!

Application instructions

1. Establish your account.

Enter your account information exactly as instructed on the form.

Click

Write down your user name and password for future reference when re-entering this system.

2. Fill out your application.

You can complete your application in any order and save your work and come at a later time - Even from a different computer! When you've completed the application or are ready to exit, click

FIG. 6a

70
↓**Save This Page**

to save only click

Save/Pay/Send

to file your completed application.

If your application has more than one page, use 'Save and go to page:

to move to another page.

All of your saves and transmissions are logged in your Personal Log for your review.

3. Make corrections to your data

You may see a **Data Correction Page** when you move from page to page or chose

Save/Pay/Send

These appear if you have omitted a required field or entered data incorrectly.

Changes you need to make appear in red text. Simply enter the correct data, scroll down to the bottom of the page and click

Make These Corrections

4. Save/Pay/Send your application.

When you have completed your application, click the

Save/Pay/Send

button at the bottom of

the last page. This saves your data in its final form and takes you to the payment screen where you pay your application fee on-line.

NOTE: The application is not sent to the school until your payment is authorized.

5. Pay your application fee on-line.

When you click

Save/Pay/Send

, you are taken to the payment screen where you fill in your

credit card information. Fill in all the information, including the complete credit card number, expiration date, and card billing information, and click

Submit this information

Security Information: All your credit card information is encrypted while it goes between your browser and our server, as well as during authorization. None of this information is stored in our database.

Once payment is authorized your application is on its way to the school and you will not be able to change data on your application for that term.

6. **Close your browser program when you're ready to end your Web session.** This clears your password and secure connection.
7. **To re-enter your application form:**
Return to the Application Menu and click on the application you would like to complete.
Enter your user name and password when prompted.
8. **Check your Personal Log** to print a copy of your application (once payment has been authorized) or to find out if a school has received it yet.

Hints for filling out applications

- Use the correct postal code for US state and Canadian province names. (view codes)
Use the correct internet country code for country abbreviations. (view codes)

FIG. 6b

↙

The “(view codes)” link opens a new browser window. To return to your application simply close the new window

- Fill in high school, college, and job information in reverse chronological order. For example, in a table where you're asked to list the high school you've attended, write the most recently attended one in the top row of the table, the next most recently attended in the second row, and so on.
- Separate digits in social security and telephone numbers with dashes only, no slashes or parentheses.
- Be sure to check your application carefully before sending it!
- There are usually other requirements for admission such as having transcripts, test scores, or recommendations sent to the school. Be sure to fulfill these requirements as well as submitting your application.

If you have problems accessing web forms

If you encounter problems accessing web application forms, it may be because you need to download a later version of your browser program. To determine if this is the problem and to download a new version if needed:

1. Access the Browser Diagnostic form.
2. Follow the instructions on the Debug form to test your current browser and download a later version if you need to.

Web Application Features

- The web application server stores the information you enter under the private user name and password you establish.
- Nothing you enter on an application form is sent to the institution until you transmit it. That means you can set up your account, fill out information on an application form, change it, and save it free of charge and without worry of disclosing information to the institution before you're ready.
- You don't have to complete an application in one sitting. For example, you can start working on an application at your library's web terminal, save your work, recall it from your web terminal at home, and continue working from there. Wherever you have access to the web, you have access to the information you've saved.
- When you fill out more than one application form, ApplyWeb automatically enters common information you filled in on the first form in all subsequent forms. For example, if you've entered your name and address on an application form and saved it, ApplyWeb will automatically write that information on the next form you call up (assuming, of course, that the next form also has name and address fields). Also, if you change the information on one form, it's changed on all others. This feature can save you a lot of time and typing when you're applying to more than one ApplyWeb institution.
- Your data is transmitted securely over the Internet. The information you enter is encrypted and secure when you save it and when you send it. Although general data collected on the system may be used in statistical studies and reports designed to assist institutions with planning, any information bearing your personal identification is only disclosed to the institutions you send it to.

FIG. 6c

SUBSTITUTE SHEET (RULE 26)

70



- When you save or transmit application information, a note appears in your Personal Log. You can easily check your Personal Log to see a record of your system activity. Your Personal Log also tells you when an institution has acknowledged receipt of your application.


Scholarship Eligibility

- Upon submitting your web application you become automatically eligible for a number of scholarships awarded by CollegeNET. In 1997, these awards totaled \$9,000. For details visit www.CollegeNET.com/scholarships/.

Go to Step 3:

72 → **Apply to Lewis & Clark College**

FIG. 6d

82
↓

Application Options

Lewis & Clark College

- 84 → • Application Instructions
Read this section carefully before completing the application
- 86 → • Application

Supplemental Form (please print)

- 92 → • Counselor's Report
- 92 → • Teacher's Recommendation

Main Menu

82



42

We welcome your interest in Lewis & Clark College and are glad that you've chosen to apply to the College using CollegeNet. We look forward to working with you in the admission process. We have outlined a variety of application options below. We have also provided a checklist of credentials required for a complete file for first-year and transfer applicants. Please read this information carefully, print it out and keep it for future reference. Completed references, transcripts, test scores, and other documents will be added to your file as they arrive.

If you have any questions about the College or the application process, please contact us. We will be glad to assist you. Since several parts of your application will need to come to us in paper (i.e. recommendations, transcript), these documents should be addressed to:

Office of Admissions
Lewis & Clark College
0615 S.W. Palatine Hill Road
Portland, Oregon 97219-7899

First - Year Application Options

Early Action (Nonbinding) : Fall Semester

1997-98: 614 applied, 574 admitted (93%)

Students who have determined early in the fall that Lewis & Clark is among their top choices should use the Early Students Action Plan. Applicants under Early Action must apply and submit all supporting documents by December 1. Notification of the Admissions Committee's decision will be mailed by January 15. Admitted students may submit the reservation deposit any time before May 1.

Regular Decision: Fall Semester

1997-98: 2,701 applied, 1,645 admitted (61%)

Students who select this option should apply and submit all supporting documents by February 1. Notification of the Admissions Committee's decision will be mailed no later than April 1. Students whose applications are received after February 1 may be notified after April 1. To ensure a place in the class, admitted students must submit the reservation deposit by May 1.

Regular Decision: Spring Semester

Spring 1998: 20 Applied, 13 admitted (65%)

Students seeking admission for the spring semester should apply and submit all supporting documents by December 1. Notification of the admission decision will be made as soon as possible after all required materials have been received. Admitted students must submit their reservation deposit within two weeks of the date on their letter of admission.

FIG. 8a

SUBSTITUTE SHEET (RULE 26)

94


Transfer Admission

1997-98: 287 applied, 149 admitted (52%)

We welcome the diversity and maturity transfer students bring to the College. Transfer applicants can apply for either fall or spring semester and are evaluated on a rolling basis. Notification of the admission decision will be made within three weeks after all required materials have been received. Some transfer applicants decide later in the spring to apply; they are encouraged to get all credentials to us as soon as possible to ensure a smooth transition to the College. Late spring and early summer applicants may find financial aid resources and housing options limited. Please note that the priority filing deadline for financial aid is March 1. Applicants for spring semester must submit all credentials by December 1.

Portfolio Path to Admission

Lewis & Clark has offered this alternative application plan since 1991. The key elements of the Portfolio Path, in addition to the requirements on the checklist that follows, are the submission of three academic teacher recommendations and at least five samples of academic work. Students also have the option of requesting that their school remove standardized test scores from transcripts before they are submitted to Lewis & Clark. Portfolio materials must include at least one graded writing sample. Other materials may include, but are not limited to: term papers; personal journals; science projects or lab reports; essay tests; audio, video, or slide examples of talent in the fine arts. Students sending original work they wish to have returned should include an appropriate self-addressed, stamped envelope, tube, or other shipping container.

International Students

Applicants to the undergraduate program (or to both the undergraduate program and the Institute for the Study of American Language and Culture) who do not hold U.S. citizenship or Permanent Residency may request an International Student Application from the Office of International Student Services (iso@lclark.edu). This application may be obtained in hard copy or downloaded from the international student admissions home page on the [Lewis & Clark Web Site](#).

International students attending school in the United States or international schools abroad can also use the application materials provided here. In addition to these materials, however, each international student applicant is required to submit a Certificate of Financial Responsibility. This form is available on request from the Office of International Student Services (iso@lclark.edu) or from their Web Site.

All applicants who are not U.S. citizens or Permanent Residents should submit their application materials to:

International Student Services
Lewis & Clark College
0615 S.W. Palatine Hill Road
Portland, Oregon 97219-7899
Phone: 503-768-7305
Fax: 503-768-7301
Internet: iso@lclark.edu
WWW: <http://www.lclark.edu/~iso/admit.html>

Staff members of this office can answer questions about Lewis & Clark academic and campus life programs, the admission process, immigration, or any other topics relevant to an international student's planning.

First-Year Student Application Checklist

To have your application file considered, you must submit the following materials according to the schedule of your preferred application option described above.

FIG. 8b

SUBSTITUTE SHEET (RULE 26)

94
↓**Submit Electronically -**

- * Application with essay.
- * \$45 application fee (*Please note: students requesting a waiver of the application fee should contact the Office of Admissions for a hard copy of the admissions application, or download a copy from our Web Site. CollegeNet will not process your application if the fee has not been submitted.)

Print Forms and Submit -

- * Counselor's Report form.
- * Teacher's Recommendation form, completed by the teacher of an academic course (English, mathematics, science, foreign language, history, or social studies) taken in your junior or senior year. If you have chosen the Portfolio Path admission program, three academic teacher recommendations are required. Please duplicate the form provided.

Request From High School or Testing Agency -

- * Official high school transcript.
- Early Action (December 1) candidates must submit a transcript including grades from 9th through 11th grade and a complete list of courses in which they are enrolled during their senior year.
- Regular Decision (February 1) candidates must submit the same as above plus grades from the first marking period of the senior year (A copy of your report card is acceptable).
- * Seventh-semester transcript. All first-year applicants must submit this for review by the Admissions Committee as soon as it is available.
 - * SAT I and/or ACT scores. These are considered official if reported on the high school transcript. Students applying via the Portfolio Path may choose to have their counselors remove the scores from their records before submission to Lewis & Clark.

Transfer Application Checklist

To have your application file considered, you must submit the following materials according to the schedule of your preferred application option described above:

Submit Electronically -

- * Application with essay.
- * \$45 application fee. (*Please note: students requesting a waiver of the application fee should contact the Office of Admissions for a hard copy of the admissions application, or download a copy from our Web Site. CollegeNet will not process your application if the fee has not been submitted.)
- * Letter explaining your reasons for wanting to transfer to Lewis & Clark at this time.

Additional Required Credentials -

- * Official college transcript(s) from each college or university attended.
- * Official high school transcript showing graduation (required of all transfer applicants).
- * SAT I and/or ACT scores (on a secondary school transcript or from the testing agency) unless you will have completed 60 semester (95 quarter) credits of transferable course work prior to enrollment at Lewis & Clark. Students applying via the Portfolio Path are not required to submit these scores.
- * Teacher's Recommendation form to be completed by a college professor. If you have chosen the Portfolio Path admission program, three teacher recommendations are required. Please duplicate the form provided.
- * Dean of Students form. We will mail you this form when we receive your application.

First-Year and Transfer Students Applying for Need-Based Financial Aid

94


All applicants for financial aid must submit the Free Application for Federal Student Aid (FAFSA) to the federal processing center. The FAFSA is available in your college counseling office in November. You can also access the FAFSA through the Web at www.ed.gov/offices/OPE/express.html. Please note that the results of the FAFSA must be received in the Office of Student Financial Services by March 1, 1999, to receive priority consideration. This means that the FAFSA should be filed with the federal processor by February 1, to allow for three to four weeks' processing time. Students may file after this date, but late applications will be reviewed subject to availability of funds. Transfer students who have taken college courses prior to applying to Lewis & Clark must contact the financial aid office at each college or university attended and request that a Financial Aid Transcript be sent to:

Office of Student Financial Services
Lewis & Clark College
0615 S.W. Palatine Hill Road
Portland, Oregon 97219-7899

This form is required whether or not you received financial aid at that institution.

Lewis & Clark's Title IV (FAFSA) code number is 003197.

Admissions Essay

The essay helps us get acquainted with you in ways different from courses, grades, test scores, and other objective data. It also enables you to demonstrate your ability to organize thoughts and express yourself. This is a very important part of the admission process.

In not more than one thousand words, please write an essay about one of the following topics listed below.

- 1) Describe a significant person or experience that has had a profound effect on your life, and describe that effect.
- 2) Discuss some issue of local, national, or international concern and its importance to you.
- 3) Describe a specific situation or experience that led you to question your values or change one of your strongly held opinions. How did you change as a result of the experience?
- 4) What character in a book you've read can you relate to best? How do you see yourself in this character?

Transfer applicants: You must also write a letter on your reasons for wanting to transfer to Lewis & Clark College at this time.

FIG. 8d

SUBSTITUTE SHEET (RULE 26)

96
↓

42

Lewis & Clark College
Application for Admission, Page 2
Fee: \$45.00

Office of Admissions
 0615 S.W. Palatine Hill Road
 Portland, Oregon 97219-7899
 Phone: 503-768-7040

Toll-Free: 800-444-4111
 Fax: 503-768-7055
 Internet: admissions@lclark.edu
 World Wide Web: http://www.lclark.edu

Admissions Plan:

Early Decision (binding)
 Early Action (nonbinding)
 Regular decision

Applicant status:

First-year student
 Transfer student
 Portfolio Path? Yes No

Residence Plans:Entry date:

Residence hall
 Commuting student

PersonalLast/Family Name: First: Middle:

Gender: Male Female

Preferred name or nickname: Former last name(s), if any Permanent address: Street: Box/Apt: City: State/Province: Zip/Postal Code: Current telephone (area code) + number E-mail address: Fax#:

If different from above, please give your mailing address for all admissions correspondence:

Street: Box/Apt: City: State/Province: Zip/Postal code: Phone at mailing address: **FIG. 9a****SUBSTITUTE SHEET (RULE 26)**

96
↓Social Security #: Date of birth (MMDDYY): What country are you a citizen of? (view codes) Religious affiliation (optional) If not a U.S. citizen, are you a Permanent Resident? Yes No Visa type

Have you previously applied to Lewis & Clark? Yes No

If yes, for which term/year?

Will you be a candidate for need-based financial aid? Yes No
(Financial aid is not a factor in the admission decision process. Indicating "yes" will allow us to send the required IDF packet.)

If yes, FASFA and IDF forms were/will be filed on:

(See application instructions for important deadline information.)

Name of your current school: Type of School:

For first-year students only:

Name of high school counselor: Office telephone: School Fax #: High School CEEB code number:

If you're not currently attending school, please tell us what you're doing.

FIG. 9b

SUBSTITUTE SHEET (RULE 26)

96



Please list any relatives who may have attended Lewis & Clark, give their name, relationship, class (if known).

What influenced you to apply to Lewis & Clark?

Have you ever visited the Lewis & Clark campus? Yes No If yes, when? (MMDDYY)

Save and

2

3

4

Page 1

Save this Page

FIG. 9c

96
↙

42

Lewis & Clark College
Application for Admission, Page 2
Fee: \$45.00

Education

Please list all the secondary schools including summer schools, programs, and institutes you have attended, grades 9-12, most recent first.

Name of School	City	State	Date Begin (MMYY)		Date End (MMYY)	

Please list all colleges and universities you have attended, most recent first. Please have an official transcript sent from each institution.

Name of School	City, State	Quarter or Semester system	Date Begin (MMYY)		Date end (MMYY)	

Academic Interests

Arcas of study We realize this may change as you progress through college. Please indicate first and second choice of possible interest areas. If you have more than two, please indicate an undecided area.

First Choice

Second Choice

Overseas/Off Campus If more than one, please indicate first and second choices.

First Choice:

No interest	Australia/New Zealand	Africa	Washington, D.C.	East Asia
South/Southeast Asia	Eastern Europe/Russia and the Republics		New York City	
Southern/Central America	Western Europe			

FIG. 10a

SUBSTITUTE SHEET (RULE 26)

Second Choice

No interest

Australia/New Zealand

Africa

Washington, D.C.

East Asia

South/Southeast Asia

Eastern Europe/Russia and the Republics

New York City

Southern/Central America

Western Europe

Curricular Interest**Activities** Please choose any of the following activities offered at Lewis & Clark in which you plan to participate.**Forensics**☐ debate, oratory, extemp, oral interpretation, or impromptu**Media**☐ Literary Review☐ Meridian cross-cultural journal☐ Pioneer Log newspaper☐ KLC radio station☐ Yiem Kimtah yearbook☐ LCTV video and film group**Music**☐ choral groups, chamber music, keyboards, orchestra, and jazz, wind, string, or brass ensemble**Student activities**☐ admissions volunteer☐ College Outdoors☐ community service☐ intramurals☐ peer tutoring☐ student government**Theatre**☐ acting, dance, directing, lightening, set design, tech**Varsity Sports**☐ baseball☐ basketball☐ cross country☐ Football☐ golf☐ softball☐ swimming☐ tennis☐ track and field☐ volleyball (women)**Club Sports****FIG. 10b**

- ☐ crew
- ☐ lacrosse
- ☐ martial arts
- ☐ rugby
- ☐ sailing
- ☐ skiing
- ☐ soccer
- ☐ volleyball (men)

Save and	<input type="text" value="1"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	Page 2		Save this Page	
----------	--------------------------------	--------------------------------	--------------------------------	--------	--	----------------	--

FIG. 10c**SUBSTITUTE SHEET (RULE 26)**



Lewis & Clark College
Application for Admission, page 3
Fee: \$45.00

Family Information

Father Last/Family Name: First:

Street: City:

State/Province: Zip/Postal Code: Living: Yes ☐ No ☐

Occupation/Title: Employer:

Daytime phone:

College(s): Degree(s) Earned:

Grad Year:

Professional or graduate school: Grad Year: 19

Degree(s) Earned:

Mother Last/Family Name: First:

Maiden Name:

Street: City:

State/Province: Zip/Postal Code: Living: Yes ☐ No ☐

Occupation/Title: Employer:

Daytime phone:

College(s): Degree(s) Earned:

Grad Year:

Professional or graduate school: Grad Year: 19

Degree(s) Earned:

Are your parents: Married Separated Divorced Widowed
 If not with both parents, with whom do you make your permanent home? (Name and relationship)

Please give names and ages of your brothers and sisters. If they have attended college, give the names of the institutions attended, degrees, and approximate dates:

FIG 11a

SUBSTITUTE SHEET (RULE 26)

--

The following items are optional:

Birthplace (City, State, Country) [view codes]:

,

Marital Status:

Father's Birthplace (City, State, Country) [view codes]:

Mother's Birthplace (City, State, Country) [view codes]:

What is your first language, if other than English?

How would you describe yourself?

Ethnic Origin:

Scholastic Information

Please indicate your test plans and results below. Be sure to have test scores sent by the testing agency or your secondary school as soon as they are available.

SAT I

Test date (MMYY)	Verbal	Math
<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>

Next date to be taken

ACT

Test Date (MMYY)	Composite
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>

Next date to be taken

Save and go to page	1	2	4	Page 3		Save this Page	
---------------------	---	---	---	--------	--	----------------	--

FIG 11b

SUBSTITUTE SHEET (RULE 26)



Lewis & Clark College
Application for Admission, page 3
Fee: \$45.00

Briefly describe any academic distinctions or honors you have won in grades 9-12, or while in college.

--

Extracurricular and Personal Activities. Please list your principal extracurricular , community, and individual activities in order of their interest to you, most important first.

FIG 12a

SUBSTITUTE SHEET (RULE 26)

Activity	Type	School years or Post-secondary (PS)					Approximate time spent		Positions held, honors won, or letters earned	Do you plan to participate in college?
		9	10	11	12	PS	Hours per week	Weeks per year		
										Yes No
										Yes No
										Yes No
										Yes No
										Yes No
										Yes No
										Yes No
										Yes No

Please list any study, travel, work, volunteer, or other experience you have had in the past three years, most recent first.

Specific nature of experience	Location	Begin dates (MMYY)		End dates (MMYY)		# hours spent per week

In space below, briefly discuss which one of your activities (extracurricular, personal, or work experience) has had the most meaning for you, and why.

FIG 12b


SUBSTITUTE SHEET (RULE 26)

Essay/Personal Statement

The essay helps us become acquainted with you in ways different from courses, grades test scores, and other objective data. It also enables you to demonstrate your ability to organize your thoughts and express yourself. This is a very important part of the admission process and we encourage you to respond thoughtfully.


Please write an essay about one of the following topics listed below.

- 1) Describe a significant person or experience that has had a profound effect on your life, and describe that effect.
- 2) Discuss some issue of local, national, or international concern and its importance to you.
- 3) What living person would you most like to invite to dinner and why? What would you talk about?
- 4) What character in a book you've read can you relate to best? How do you see yourself in this character?



Transfer applicants: You must also write a letter on your reasons for wanting to transfer to Lewis & Clark College at this time.

FIG 12c**SUBSTITUTE SHEET (RULE 26)**



By checking 'Yes' below indicates that all the information I submit for my application is complete, factually correct, and honestly presented.

Yes No

Date: (MMDDYY)

Lewis & Clark adheres to a nondiscriminatory policy with respect to employment, enrollment, and program. The College does not discriminate on the basis of race, color, creed, sex, national origin, age, handicap, or disability, sexual orientation, or marital status and has a firm commitment to promote the letter and spirit of all equal opportunity and civil rights laws.

Save and go to page	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	Page 4	<input type="text"/>	Save this Page	<input type="text"/>
---------------------	--------------------------------	--------------------------------	--------------------------------	--------	----------------------	----------------	----------------------

FIG 12d

SUBSTITUTE SHEET (RULE 26)




Fig. 13




Fig. 14




FIG. 15




FIG. 16

TRANSACTION OPERATIONS:

SA : SAVE
 SU : SAVE, PAY, SENT (SUBMIT)
 PD : PAID
 PR : VIEWED FOR PRINT
 FT : FTP
 BT : BATCH TRANSFER
 SN : TRANSFER IN E-MAIL
 AK : ACKNOWLEDGE RECEIPT OF APP (by School)
 SE : SETTLEMENT
 VX : VOID
 FW : FEE WAIVER
 WR : WAIVER REQUEST
 WD : WAIVER DENIES
 WA : WAIVER APPROVED
 CK : PAY BY CHECK
 CA : CHECK APPROVED (CLEARED)
 CD : CHECK DENIED




Fig. 17




FIG. 18

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 99/12539

A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 G06F17/24

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 G06F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 98 04976 A (LEXTRON SYSTEMS INC) 5 February 1998 (1998-02-05) abstract page 1, line 15 -page 2, line 12 page 3, line 11 - line 15; claim 4 ---	1,13,21, 32,40, 45,46
A	US 5 450 537 A (HIRAI CHIAKI ET AL) 12 September 1995 (1995-09-12) abstract; figure 9 ---	1,21,32, 40,45
A	US 5 640 577 A (SCHARMER ANDREW J) 17 June 1997 (1997-06-17) abstract column 1, line 65 -column 3, line 2; figures 2,3 --- -/--	1,21,32, 40,45



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the International filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

14 September 1999

Date of mailing of the international search report

21/09/1999

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

van der Weiden, A

INTERNATIONAL SEARCH REPORT

International Application No

PC1/US 99/12539

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5 404 294 A (KARNIK JAYANT D) 4 April 1995 (1995-04-04) abstract; claims 1-3; figure 1 -----	1, 21, 32, 40, 45
P, X	EP 0 918 424 A (IBM) 26 May 1999 (1999-05-26) abstract; figure 11 paragraphs '0012!-'0014! -----	1, 21, 32, 40, 45

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 99/12539

Patent document cited in search report		Publication date	Patent family member(s)		Publication date
WO 9804976	A	05-02-1998	US 5794259	A	11-08-1998
US 5450537	A	12-09-1995	JP 3180968	A	06-08-1991
US 5640577	A	17-06-1997	NONE		
US 5404294	A	04-04-1995	NONE		
EP 0918424	A	26-05-1999	NONE		